

List of pathogens with field resistance towards QoI fungicides

(Updated 29/11/05)

Species name	Common name	Host	Geographical distribution	Type of resistance	Citation
<i>Alternaria alternata</i> , <i>Alternaria tenussima</i> , <i>Alternaria arborescens</i>	Alternaria Blight	Pistachio	USA	G143A	(1) (2)
<i>Alternaria mali</i>	Alternaria Blotch	Apple	USA	G143A	(3)
<i>Alternaria solani</i>	Early Blight	Potato	USA	F129L	(4)
<i>Blumeria (Erysiphe) graminis</i> f. sp. <i>tritici</i> and <i>hordei</i>	Powdery Mildew	Wheat and Barley	EU	G143A	(5)
<i>Colletotrichum graminicola</i>	Anthracoise	Turf grass	USA	G143A	(6)

Species name	Common name	Host	Geographical distribution	Type of resistance	Citation
<i>Corynespora cassiicola</i>	Leaf Spot, Target Spot	Cucumber	Japan	G143A	(7)
<i>Didymella bryoniae</i>	Gummy Stem Blight	Cucurbit	USA	G143A	(8)
<i>Glomerella cingulata</i> (= <i>Colletotrichum gloeosporioides</i>)	Anthracnose	Strawberries	Japan	G143A	(9)
<i>Mycosphaerella fijiensis</i>	Black Sigatoka	Banana	Central and South America, CAM, PHIL	G143A	(10)
<i>Mycosphaerella graminicola</i>	Septoria Leaf Spot	Wheat	EU	G143A	(11) (12)
<i>Mycovellosiella natrassii</i>	Leaf Mold	Eggplant	Japan	G143A	(13)
<i>Plasmopara viticola</i>	Downy Mildew	Grape	EU	G143A and F129L	(14)
<i>Pseudoperonospora cubensis</i>	Downy Mildew	Cucurbits	EU, Asia	G143A	(15) (16)
<i>Pyrenophora teres</i>	Net Blotch	Barley	EU	F129L	(17)

Species name	Common name	Host	Geographical distribution	Type of resistance	Citation
<i>P. tritici-repentis</i>	Tan Spot	Wheat	EU	G143A and F129L	(17)
<i>Pyricularia grisea</i>	Gray Leaf Spot	Turf grass	USA	G143A and F129L	(18) (19)
<i>Pythium aphanidermatum</i>	Pythium Blight	Turf grass	USA	F129L	(20)
<i>Sphaerotheca fuliginea</i>	Powdery Mildew	Cucurbits	EU, Asia	G143A	(21) (22)
<i>Uncinula (Erysiphe) necator</i>	Powdery Mildew	Grapes	USA	G143A	(17)
<i>Venturia inaequalis</i>	Scab	Apple	EU	G143A	(23)

Citations

- (1) Ma, Z., Felts, D. and Michailides, T.J. (2003) Resistance to azoxystrobin in *Alternaria* isolates from pistachio in California. *Pesticide Biochemistry and Physiology* 77: 66-74
- (2) Ma, Z. and Michailides, T. J. (2004) An allele-specific PCR assay for detecting azoxystrobin-resistant *Alternaria* isolates from pistachio in California. *Journal of Phytopathology* 152: 118-121
- (3) Lu, Y.L., Sutton, T.B. and Ypema, H. (2003) Sensitivity of *Alternaria mali* from North Carolina apple orchards to pyraclostrobin and boscalid. *Phytopathology* 93: S54 (Abstract)
- (4) Pasche, J.S., Wharam, C.M. and Gudmestad, N.C. (2002) Shift in sensitivity of *Alternaria solani* (potato early blight) to strobilurin fungicides. *Proceedings of the BCPC Conference Pests & Diseases 2002*: 841-846
- (5) Sierotzki H, Wullschlegler J. and Gisi U. (2000) Point-mutation in cytochrome b gene conferring resistance to strobilurin fungicides in *Erysiphe graminis* f. sp. *Tritici* field isolates. *Pesticide Biochemistry and Physiology* 68:107-112.
- (6) Avila-Adame, C., Olaya, G. and Köller, W. (2003) Characterization of *Colletotrichum graminicola* isolates resistant to strobilurin-related QoI fungicides. *Plant Disease* 87: 1426-1432
- (7) Ishii H. (2004) Fungicide resistance: a factor limiting integrated disease control. Proceedings of the 15th international plant protection congress (ed Guo Yu-yuan) p 216
- (8) Langston D. (2002) Quadris Resistance in Gummy Stem Blight Confirmed. *Georgia Extension Vegetable News* 2 (1): 1-2
- (9) Ishii H. (2004) Fungicide resistance: a factor limiting integrated disease control. Proceedings of the 15th international plant protection congress (ed Guo Yu-yuan) p 216
- (10) Sierotzki H., Parisi S., Steinfeld U., Tenzer I., Poirey S. and Gisi U. (2000) Mode of resistance to respiration inhibitors at the cytochrome bc1 complex of *Mycosphaerella fijiensis*. *Pest Management Science* 56: 833-841.
- (11) Fraaije B. A., Brunett F. J., Clark W. S., Motteram J., Lucas J. A. (2005 submitted) . In: Modern fungicides and antifungal compounds II, eds Lyr H., Russell P. E., Dehne H-W. Gisi U. Kuck K-H, 14th International Reinhardtsbrunn Symposium, AgroConcept, Bonn, Verlag Th. Mann Gelsenkirchen,
- (12) Sierotzki H., Pavic L., Hugelshofer U., Stanger C., Cleere S., Windass J. and Gisi U. (2005 submitted) Population dynamics of *Mycosphaerella graminicola* in response to selection by different fungicides. . In: Modern fungicides and antifungal compounds II, eds Lyr H., Russell P. E., Dehne H-W. Gisi U. Kuck K-H, 14th International Reinhardtsbrunn Symposium, AgroConcept, Bonn, Verlag Th. Mann Gelsenkirchen, pp
- (13) Ishii H. (2004) Fungicide resistance: a factor limiting integrated disease control. Proceedings of the 15th international plant protection congress (ed Guo Yu-yuan) p 216
- (14) Heaney S. P., Hall A. A., Davis S. A. and Olaya G. (2000) Resistance to fungicides in the QoI-STAR cross resistance group: current perspectives. In Proceedings Brighton Crop Protection Conference- Pests and Diseases 2: 755-762..
- (15) Heaney S. P., Hall A. A., Davis S. A. and Olaya G. (2000) Resistance to fungicides in the QoI-STAR cross resistance group: current perspectives. In Proceedings Brighton Crop Protection Conference- Pests and Diseases 2: 755-762..
- (16) Ishii H., Fraaije B A., Sugiyama T., Noguchi K., Nishimura K., Takeda T., Amano T. and Hollomon D. W. (2001) Occurrence and molecular characterization of strobilurin resistance in cucumber powdery mildew and downy mildew. *Phytopathology* 91: 1166-1171.

(17) FRAC

(18) Vincelli, P. and Dixon E. (2002) Resistance to QoI (Strobilurin-like) fungicides in isolates of *Pyricularia grisea* from perennial ryegrass. *Plant Disease* 86: 235-240

(19) Kim, Y.S., Dixon, P., Vincelli, P. and Farman, M.L. (2003) Field resistance to strobilurin (QoI) fungicides in *Pyricularia grisea* caused by mutations in the mitochondrial cytochrome b gene. *Phytopathology* 93: 891-900

(20) Gisi U., Sierotzki H., Cook A., McCaffery A. (2002) Mechanisms influencing the evolution of resistance to Qo inhibitor fungicides. *Pest Management Science* 58(9): 859-867

(21) Heaney S. P., Hall A. A., Davis S. A. and Olaya G. (2000) Resistance to fungicides in the QoI-STAR cross resistance group: current perspectives. In Proceedings Brighton Crop Protection Conference- Pests and Diseases 2: 755-762.

(22) Ishii H., Fraaije B A., Sugiyama T., Noguchi K., Nishimura K., Takeda T., Amano T. and Hollomon D. W. (2001) Occurrence and molecular characterization of strobilurin resistance in cucumber powdery mildew and downy mildew. *Phytopathology* 91: 1166-1171.

(23) Steinfeld U., Sierotzki H., Parisi S. and Gisi U. (2002) Comparison of resistance mechanisms to strobilurin fungicides in *Venturia inaequalis*. In: Modern fungicides and antifungal compounds II, eds Lyr H., Russell P. E., Dehne H-W. Gisi U. Kuck K-H, 13th International Reinhardsbrunn Symposium, AgroConcept, Bonn, Verlag Th. Mann Gelsenkirchen, pp. 167-176