



**FRAC**  
**LIST OF PLANT PATHOGENIC**  
**ORGANISMS RESISTANT TO DISEASE**  
**CONTROL AGENTS**

Revised May 2018

## Important notes

### The scope of the list.

The FRAC codes used in this document refer to those used in the FRAC Code List. The entries are listed by their Mode of Action code, with the Chemical Group Codes and Group Names also being given for reference. *For more information please refer to the latest edition of the FRAC Code list.*

This list is extensive in identifying those plant pathogens that have shown some form of resistance to the modes of action given and to the respective chemical groups. Where a FRAC Code is not listed, no resistance has been reported.

**Entries have generally been selected as the first confirmed, published, case of resistance of the particular mode of action against the pathogen listed.** Subsequent references for the same mode of action and host-pathogen combination are only included if the information is considered by FRAC to be of special merit e.g. information on the molecular mode of resistance. Inclusion of cases of a known pathogen but a new host e.g. *Botrytis cinerea* are considered on their merits. Similarly, references reporting a known case but in a different geographical region are also considered on merit and may not be included.

### Take care in using this list.

Care must be taken in using the information because:

1. Inclusion of a pathogen in this list only demonstrates that it can become resistant. It does not indicate that pathogen populations in specific geographical areas or locations are resistant. Seek local advice for specific localities. Information may also be found at the FRAC web page for specific chemical Working Groups. See [www.frac.info](http://www.frac.info)
2. Resistance in plant pathogens can take many forms and it is important to realise the differences when consulting this list. The 'Remarks' column gives guidance on the form of resistance found and can be interpreted as:

**Laboratory mutation / selection:** Indicates that the resistance has been selected for using various techniques including mutation by UV light, or chemical mutagenesis. Such research illustrates that resistance can happen and can provide information on the resistance mechanism, but is not a reliable indicator of the probability that resistance will happen when the chemical is used in the field.

**Field trial:** Indicates that resistance has been found in limited field trials. Very often such trials use application schedules that are different to commercial practice and/or are designed to pressurise pathogen populations into becoming resistant in an attempt to quantify the resistance risk. Such trials show that resistance can be generated but do not give reliable indications that resistance will occur if products are used as recommended.

**Field:** Indicates that resistant isolates have been found in commercially treated fields. This does not mean that the resistance was always extensive enough to cause complete disease control failure, but does indicate a need for active resistance management.

**3.** For pathogens capable of infecting several host genera / species e.g. *Botrytis cinerea*, the list does not include reference to all known crops. For such pathogens it is reasonable to assume that if resistance is known, all areas of use are at risk and resistance management strategies should be used.

### **Cross – resistance between chemicals in a particular group.**

Resistance and cross-resistance between molecules in a particular group is not always absolute due to different activity spectra shown by group members. Be careful when making assumptions about cross-resistance patterns and if in any doubt refer to FRAC or the manufacturer.

### **A note on taxonomy**

This list has been compiled using the taxonomy in use at the time the report was made. In some cases organisms have been reclassified since the original report and names have changed. Where names have changed recently, users of this list are advised to search using the old name as well as the new one.

### **Further guidance**

Please see information published by FRAC and contained in the FRAC Monographs, available for download from the FRAC webpage [www.frac.info](http://www.frac.info)

## Updates

FRAC welcomes suggestions for inclusion in this list; please send information, including full Journal reference, to the Secretary. Note that only cases of confirmed resistance will be included, supported by a published report from an accredited source. Reports of rumours of resistance or unverified reports will not be included. The decision on inclusion rests with FRAC.

### **A note on mercury:**

Mercury was a traditional seed treatment for cereals. It is no longer used and, as such, does not appear in the FRAC list of fungicides. Resistance did develop to it in *Pyrenophora avenae* on oats, Noble *et al.* (1966), and for *Pyrenophora graminea* on barley, Clark (1985).

Mode of Action Code and Target Site	Group Name	FRAC Group Code
<b>A: NUCLEIC ACIDS METABOLISM</b>		
<b>A1:</b> RNA polymerase I	PA Fungicides Phenylamides	4
<b>A2:</b> Adenosine deaminase	Hydroxy – (2-amino) pyrimidines	8
<b>A3:</b> DNA/RNA synthesis (proposed)	Heteroaromatics	32
<b>A4:</b> DNA topoisomerase type II (gyrase)	Carboxylic acids	31
<b>B: CYTOSKELETON AND MOTOR PROTEINS</b>		
<b>B1:</b> $\beta$ -tubulin assembly in mitosis	MBC fungicides, Methyl Benzimidazole Carbamates	1
<b>B2:</b> $\beta$ -tubulin assembly in mitosis	N-phenylcarbamates	10
<b>B3:</b> $\beta$ -tubulin assembly in mitosis	Benzamides	22
<b>B4:</b> Cell division (unknown site)	Phenylureas	20
<b>B5:</b> Delocalisation of spectrin like proteins	Benzamides	43
<b>B6:</b> Actin/myosin/fimbrin function	Cyanoacrylates	47
	Aryl-phenyl-ketones	50
<b>C: RESPIRATION</b>		
<b>C1:</b> Complex I, NADH oxidoreductase	Pyrimidinamines / Pyrazole-MET 1/ Quinazoline	39
<b>C2:</b> Complex II, succinate-dehydrogenase	SDHI fungicides	7
<b>C3:</b> Complex III, cytochrome bc1 (ubiquinol oxidase at Qo site (cyt b gene)	QoI fungicides, Quinone Outside Inhibitors	11
<b>C4:</b> Complex III, cytochrome bc1 (ubiquinone reductase) at Qi site	QiI fungicides (Quinone Inside Inhibitors)	21
<b>C5:</b> Uncouplers of oxidative phosphorylation	-	29
<b>C6:</b> Inhibitors of oxidative phosphorylation. ATP synthase	Organo tin compounds	30
<b>C7:</b> ATP transport (proposed)	Thiophene carboxamides	38
<b>C8:</b> Complex III, cytochrome bc1 (ubiquinone reductase) at Qosite stigmatellin binding sub-site	QoSI fungicides (Quinone Outside Inhibitor, stigmatellin binding type)	45
<b>D: AMINO ACIDS AND PROTEIN SYNTHESIS</b>		
<b>D1:</b> Methionine biosynthesis (proposed) ( <i>cgs gene</i> )	AP fungicides. Anilinopyrimidines	9
<b>D2:</b> Protein synthesis (ribosome, termination step)	Enopyranuronic acid antibiotic	23
<b>D3:</b> Protein synthesis (ribosome, initiation step)	Hexapyranosyl antibiotic	24

Mode of Action Code and Target Site	Group Name	FRAC Group Code
<b>D4:</b> Protein synthesis (ribosome, initiation step)	Glucopyranosyl antibiotic	25
<b>D5:</b> Protein synthesis (ribosome, elongation step)	Tetracycline antibiotic	41
<b>E: SIGNAL TRANSDUCTION</b>		
<b>E1:</b> Signal transduction (mechanism unknown)	AZN: Aza-naphthalenes	13
<b>E2:</b> MAP/Histidine-kinase in osmotic signal transduction ( <i>os-2</i> , <i>HOG1</i> )	PP fungicides. Phenylpyrroles	12
<b>E3:</b> MAP/Histidine-kinase in osmotic signal transduction ( <i>os-1</i> , <i>Daf1</i> )	Dicarboximides	2
<b>F: LIPIDS SYNTHESSES OR TRANSPORT / MEMBRANE INTEGRITY OR FUNCTION</b>		
<b>F1</b>	Formerly dicarboximides	
<b>F2:</b> Phospholipid biosynthesis, methyltransferase	Phosphoro thiolates and dithiolanes	6
<b>F3:</b> Cell peroxidation (proposed)	AH fungicides (Aromatic Hydrocarbons)( chlorophenyls, nitroanilines) and heteroaromatics	14
<b>F4:</b> Cell membrane permeability, fatty acids (proposed)	Carbamates	28
<b>F5:</b>	Formerly CAA fungicides.	
<b>F6:</b> Microbial disrupters of pathogen cell membranes	Microbial Bacillus sp.	44
<b>F7:</b> Cell membrane disruption (proposed)	Plant extract	46
<b>F8:</b> ergosterol binding	Polyene	48
<b>F9:</b> lipid homeostasis and transfer/storage	OSBPI oxysterol binding protein homologue inhibition	49
<b>G: STEROL BIOSYNTHESIS IN MEMBRANES</b>		
<b>G1:</b> C14 demethylase in sterol biosynthesis ( <i>erg11/cyp51</i> )	DMI fungicides. DeMethylation Inhibitors. SBI Class 1	3
<b>G2:</b> $\Delta^{14}$ reductase and $\Delta^8 - \Delta^7$ isomerase in sterol-biosynthesis ( <i>erg24</i> , <i>erg2</i> )	Amines ('morpholines'). SBI class II	5
<b>G3:</b> 3-keto reductase, C4-demethylation ( <i>erg27</i> )	KRI fungicides (KetoReductase Inhibitors) SBI class III	17
<b>G4:</b> Squalene epoxidase in sterol biosynthesis ( <i>erg1</i> )	SBI class IV	18
<b>H: CELL WALL BIOSYNTHESIS</b>		
<b>H3:</b>	Formerly Glucopyranosyl antibiotic	
<b>H4:</b> Chitin synthase	Polyoxins	19
<b>H5:</b> Cellulose synthase	CAA fungicides. Carboxylic Acid Amides	40

Mode of Action Code and Target Site	Group Name	FRAC Group Code
<b>I: MELANIN SYNTHESIS IN CELL WALL</b>		
<b>I1:</b> Reductase in melanin biosynthesis	MBI-R Melanin Biosynthesis Inhibitors – Reductase	16.1
<b>I2:</b> Dehydratase in melanin biosynthesis	MBI-D Melanin Biosynthesis Inhibitors – Dehydratase	16.2
<b>I3:</b> Polyketide synthase in melanin biosynthesis	MBI-P Melanin Biosynthesis Inhibitors – Polyketide synthase	16.3
<b>P: HOST PLANT DEFENCE INDUCTION</b>		
<b>P1:</b> Salicylate-related	Benzo-thiadiazole (BTH)	P01
<b>P2:</b> Salicylate-related	Benzisothiazole	P02
<b>P3:</b> Salicylate-related	Thiadiazole-carboxamide	P03
<b>P4:</b> Polysaccharide elicitors	Natural compound	P03
<b>P5:</b> Anthraquinone elicitors	Plant extract	P05
<b>P6:</b> Microbial elicitors	Microbial	P06
<b>P7:</b> Phosphonates	Phosphonates	P07 (33)
<b>UNKNOWN MODE OF ACTION</b>		
Unknown	Cyanoacetamide-oxime	27
Unknown	Phthalamic acids	34
Unknown	Benzotriazines	35
Unknown	Benzene-sulfonamides	36
Unknown	Pyridazinones	37
Unknown	Phenyl-acetamide	U06
Cell membrane disruption (proposed)	Guanidines (dodine)	U12
Unknown	Thiazolidine	U13
Unknown	Pyrimidinone-hydrazones	U14
Complex III: cytochrome bc1, unknown binding site	4-quinolyl acetate	U16
Unknown	Tetrazolyloxime	U17
Unknown (Inhibition of trehalase)	Glucopyranosyl antibiotic	U18
<b>NOT CLASSIFIED</b>		
Unknown	Diverse	NC

Mode of Action Code and Target Site	Group Name	FRAC Group Code
<b>CHEMICALS WITH MULTI-SITE ACTIVITY</b>		
Multi-site contact activity	Inorganic (electrophiles)	M01
	Inorganic (electrophiles)	M02
	Dithiocarbamates and relatives (electrophiles)	M03
	Phthalimides (electrophiles)	M04
	Chloronitriles (phthalonitriles) (unspecified mechanism)	M05
	Sulfamides (electrophiles)	M06
	Bis-Guanidines (membrane disruptors, deterdents)	M07
	Triazines	M08
	Quinones (electrophiles)	M09
	Quinoxalines (electrophiles)	M10
	Maleimide (electrophiles)	M11
	Thiocarbamate (electrophiles)	M12
<b>BIOLOGICALS WITH MULTIPLE MODES OF ACTION</b>		
Multiple effects on cell wall, ion membrane transporters; chelating effects	Polypeptide (from plant extract)	BM01
Competition, mycoparasitism, antibiosis, lytic enzymes and induced resistance	Microbial (Trichoderma spp.)	BM02



## LIST OF RESISTANT PATHOGENS

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<b>A NUCLEIC ACIDS METABOLISM</b>				
<b>A1</b>	<b>4</b>	<b>PA Fungicides (PhenylAmides). RNA polymerase 1</b>				
		<i>Bremia lactucae</i>	Downy mildew	Lettuce	Crute <i>et al.</i> 1987; Crute & Harrison 1988	field, genetics
		<i>Peronospora belbahrii</i>	Downy mildew	Basil	Cohen <i>et al.</i> 2013	greenhouse
		<i>Peronospora destructor</i>	Downy mildew	Onion	Wright 2004	-
		<i>Peronospora hyoscyami</i> (syn. <i>P. tabacina</i> )	Blue mold	Tobacco	Bruck <i>et al.</i> 1982	field
		<i>Peronospora tabacina</i>	Blue mold	Tobacco	Bruck <i>et al.</i> 1981	field
		<i>Peronospora viciae</i>	Downy mildew	Pea	Falloon <i>et al.</i> 2000	field
		<i>Phytophthora cactorum</i>	Crown rot / leather rot	Strawberry	Bal <i>et al.</i> 1987	field
				American ginseng	Hill & Hausbeck 2008	field
		<i>Phytophthora capsici</i>	Stem rot	Lima bean pods	Davey <i>et al.</i> 2008	field
		<i>Phytophthora cinnamomi</i>	Root rot	Avocado	Darvas & Becker 1984	field
		<i>Phytophthora citricola</i>	Rot / die back		Joseph & Coffey 1984	<i>in-vitro</i> mutation
		<i>Phytophthora citrophthora</i>	Collar rot / foot rots		Serrhini <i>et al.</i> 1985	<i>in-vitro</i>

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Phytophthora citrophthora</i>	Collar rot / foot rots		Angeles Diaz Borrás & Vila Aguila 1988	<i>in -vitro</i>
		<i>Phytophthora erythroseptica</i>	Pink rot	Potato	Lambert & Salas 1994 Taylor <i>et al.</i> 2002	field field
		<i>Phytophthora infestans</i>	Late blight	Potato	Davidse <i>et al.</i> 1981 Hartill <i>et al.</i> 1983 Davidse <i>et al.</i> 1983	field field field
		<i>Phytophthora infestans</i>	Late blight	Poroporo	Hartill <i>et al.</i> 1983	field
		<i>Phytophthora megasperma f.sp. glycinea</i>	Root rot	Soybean in-vitro	Lamboy & Paxton 1992	laboratory selection
		<i>Phytophthora megasperma f.sp. medicaginis</i>	Root rot	Lucerne	Davidse 1981	laboratory selection
		<i>Phytophthora melonis</i>	Foot rot	Cucurbits	Wu <i>et al.</i> 2011	field (China)
		<i>Phytophthora nicotianae</i>	Root rot	Ornamentals	Hu <i>et al.</i> 2008	field
		<i>Phytophthora palmivora</i>	Root rot	-	Lucas <i>et al.</i> 1990	laboratory induction
		<i>Phytophthora parasitica</i>	Downy mildew	Periwinkle	Ferrin & Kabashima 1991	field / laboratory
		<i>Phytophthora parasitica var. nicotianae</i>	Black shank	Tobacco	Shew 1985	laboratory
		<i>Phytophthora porri</i>	Downy mildew	Leek	Locke <i>et al.</i> 1997	field
		<i>Phytophthora sojae</i> (syn. <i>P. megasperma</i> )	Stem / root rot	Soybean	Bhat <i>et al.</i> 1993 Cui, Linkai <i>et al.</i> 2013	laboratory
		<i>Phytophthora</i> sp.	Root rot	African violet	Romano & Edgington 1985	field
		<i>Plasmopara halstedii</i>	Downy mildew	Sunflower	Albourie <i>et al.</i> 1998	field
		<i>Plasmopara obducens</i>	Downy mildew	Impatiens (Busy lizzy)	FRAC 2011	

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
					FRAG UK 2011	
		<i>Plasmopara viticola</i>	Downy mildew	Grapevine	Staub & Sozzi 1981 Bosshard & Schuepp 1983 Leroux & Clerjeau 1985	field field
		<i>Pseudoperonospora cubensis</i>	Downy mildew	Cucumber	Reuveni <i>et al.</i> 1980	field
		<i>Pythium aphanidermatum</i>	Damping off	-	Sanders & Soika 1988	field
		<i>Pythium aphanidermatum</i>		Not specified / creeping bent grass	Sanders <i>et al.</i> 1990	<i>in-vitro</i> mutation / field
		<i>Pythium aphanidermatum</i>	Damping off	Ornamentals	Moorman <i>et al.</i> 2002	field
		<i>Pythium cylindrosporium</i>	Damping off	Ornamentals	Moorman <i>et al.</i> 2002	field
		<i>Pythium dissotocum</i>	Root rot	Carrot	White <i>et al.</i> 1988	field
		<i>Pythium dissotocum</i>	Root rot	Ornamentals	Moorman <i>et al.</i> 2002	field
		<i>Pythium heterothallicum</i>	Damping off	Ornamentals	Moorman <i>et al.</i> 2002	field
		<i>Pythium irregular</i>	Damping off	Ornamentals	Moorman <i>et al.</i> 2002	field
		<i>Pythium splendens</i>	Damping off	Ornamentals	Moorman <i>et al.</i> 2002	field
		<i>Pythium spp.</i>	Cavity spot various	Carrot Potato	White <i>et al.</i> 1988 Porter <i>et al.</i> 2009	field / laboratory field
		<i>Pythium ultimum</i>	Watery wound rot	Potato	Taylor <i>et al.</i> 2002	field
		<i>Pythium ultimum</i>	Damping off	Ornamentals	Moorman <i>et al.</i> 2002	field
A2	8	<b>Hydroxy (2 amino) pyrimidines: Adenosine-deaminase</b>				
		<i>Erysiphe graminis</i> f.sp. <i>hordei</i>	Powdery mildew	Barley	Hollomon 1978	field
		<i>Sphaerotheca fuliginea</i>	Powdery mildew	Cucurbits	Schepers 1984 O'Brien <i>et al.</i> 1988	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
A3	32	<b>Heteroaromatics: DNA / RNA synthesis (proposed)</b> No resistance recorded				
A4	31	<b>Carboxylic acids, DNA topoisomerase type II (gyrase)</b>				
		<i>Erwinia amylovora</i>	Fire blight	Pear	Manulis <i>et al.</i> 2003, Kleitman <i>et al.</i> 2005	field survey
<b>B CYTOSKELETON AND MOTOR PROTEINS</b>						
B1	1	<b>MBC fungicides (Methyl Benzimidazole Carbamates), <math>\beta</math>-tubulin assembly in mitosis</b>				
		<i>Alternaria alternata</i>	Alternaria rot	Citrus	Sitton & Pierson 1982	field
		<i>Ascochyta byj</i>	Ascochyta blight	Vegetables	Steekelenburg 1973	laboratory
		<i>Ascochyta pinodes</i>	Leaf spot	Pea	Molinero <i>et al.</i> 1993	laboratory
		<i>Ascochyta pisi</i>	Leaf spot	Pea	Molinero <i>et al.</i> 1993	laboratory
		<i>Aspergillus nidulans</i>	Bearings rot	Banana	Hasti & Georgopoulos 1971	laboratory
		<i>Botryodiplodia theobromae</i>	Botryodiplodia rot	Fruits (Mango)	Spalding 1982 Hu <i>et al.</i> 2013	Laboratory Field
		<i>Botrytis allii</i>	Neck rot	Onion	Viljanen-Rollinson <i>et al.</i> 2007	Field (New Zealand)
		<i>Botrytis cinerea</i>	Grey mold	cyclamen	Bollen & Scholten 1971	laboratory
		<i>Botrytis cinerea</i>	Chocolate spot	Beans	Harrison J G 1984	field
		<i>Botrytis cinerea</i>	Grey rot	Grapes / Vines	Ehrenhardt <i>et al.</i> 1973 Leroux <i>et al.</i> 1982	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
					Elad <i>et al.</i> 1988	cross resistance to phenylcarbamates, Group 10
		<i>Botrytis cinerea</i>	Grey mould	Lisianthus	Elad <i>et al.</i> 2008	field
		<i>Botrytis elliptica</i>	Grey rot	Lily	Chastagner & Riley 1987 Hsiang & Chastagner 1990	field
		<i>Botrytis squamosa</i>	Leaf blight	Alliaceae	Presly & Maude 1982	laboratory
		<i>Botrytis tulipae</i>	Fire blight	Tulip	Chastagner & Riley 1987	field
		<i>Ceratocystis ulmi</i>	Dutch elm disease	Elm	Brasier & Gibbs 1975	laboratory
		<i>Cercospora apii</i>	Early blight	Celery	Berger 1973	field
		<i>Cercospora arachidicola</i>	Leafspot	Peanut	Clarke <i>et al.</i> 1974; Littrell 1974	field
		<i>Cercospora beticola</i>	Leafspot	Sugar beet	Georgopoulos & Dovas 1973 Budakov Dragana <i>et al.</i> 2014	Field Field
		<i>Cercospora musae</i>	Leafspot	Banana	See <i>Mycosphaerella musicola</i>	
		<i>Cercosporidium personatum</i>	Late Leafspot	Peanut	Clarke <i>et al.</i> 1974	field
		<i>Cladobotryum dendroides</i>	Cobweb disease	Mushrooms	McKay <i>et al.</i> 1998	laboratory
		<i>Cladosporium carpophilum</i>	Scab	Peach, Nectarine	Chandler <i>et al.</i> 1978	field
		<i>Cladosporium cladosporioides</i>	Fruit rot	Fruits	Dekker 1972	review
		<i>Cladosporium cucumerinum</i>	Cladosporium	Cucurbits	Dekker 1972	review
		<i>Cladosporium fulvum</i>	Flower rot	Fruits	Staunton 1975	field
		<i>Coccomyces hiemalis</i>	Cherry leaf spot	Cherry	Jones & Ehret 1981	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Colletotrichum cereal</i>	Anthraxnose	Turfgrass	Wong <i>et al.</i> 2008	field
		<i>Colletotrichum coffeanum</i>	Coffee berry disease	Coffee	Cook & Pereira	field
		<i>Colletotrichum gloeosporioides</i>	Anthraxnose	Pome fruit	Spalding 1982	laboratory
		<i>Colletotrichum lindemuthianum</i>	Anthraxnose	Bean	Meyer 1976	review
		<i>Colletotrichum musae</i>	Anthraxnose	Banana	Griffiee 1973	field
		<i>Corynespora cassiicola</i>	target spot	tomato	Date <i>et al.</i> 2004 Huang DaYe <i>et al.</i> 2013	field
		<i>Cryptocline cyclaminis</i>	Anthraxnose	Cyclamen	Garibaldi <i>et al.</i> 1987	field
		<i>Cylindrocladium scoparium</i>	Stem canker	Eucalyptus <i>Callistemon</i> sp., <i>Pistacia lentiscus</i>	Prest &Poppe 1988 Vitale <i>et al.</i> 2009	field field
		<i>Cylindrocladium scoparium</i>	Stem canker	Eucalyptus	Prest &Poppe 1988	field
		<i>Didymella bryoniae</i>	Gummy stem blight	Cucurbits	Malathrakis & Vakalounakis 1983 Steekelenburg 1987	field
		<i>Didymella lycopersici</i>	Stem rot	Tomato		
		<i>Drechslera oryzae</i>	Brown spot	Rice	Annamali & Lalithakumari 1987	laboratory
		<i>Elsinoë fawcetti</i>	Scab	Citrus	Whiteside 1980a Ieki 1994	field
		<i>Elsinoë veneta</i>	Anthraxnose	Raspberry	Munro <i>et al.</i> 1988	field
		<i>Erysiphe cichoracaerum</i>	Powdery mildew	Cucurbits	Abelentsev & Savchenko 1980	field
		<i>Erysiphe graminis</i>	Powdery mildew	Cereals	Vargas 1973	field
		<i>Erysiphe polygoni</i>	Powdery mildew	Cowpeas	Rodriguez & Melendez 1984	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Erythronium spp.</i>	Yellow fawn	Lily	Duineveld & Beijersbergen 1975	field
		<i>Fulvia fulva</i> also see <i>Cladosporium fulvum</i>	Leaf mold	Tomato	Miao & Higgins 1986	laboratory
		<i>Fusarium culmorum</i>	Fusariose	Potato / Pink	Seppanen 1983 Hanson <i>et al.</i> 1996	field
		<i>Fusarium graminearum</i>	Fusarium head blight	Cereals	Chen <i>et al.</i> 2009	Laboratory / mutation study
		<i>Fusarium nivale</i>	Pink snow mold	Wheat	Tanaka <i>et al.</i> 1983	field
		<i>Fusarium oxysporium f. sp. dianthi</i>	Fusariose	Oeillet	Tramier & Bettachini 1974	field
		<i>Fusarium oxysporium f. sp. gladioli</i>	Fusariose	Gladiolus	Magie & Wilfret 1974	field
		<i>Fusarium oxysporium f. sp. lycopersici</i>	Fusariose	Tomato	Thanassoulopoulos <i>et al.</i> 1970	laboratory
		<i>Fusarium oxysporium f. sp. tulipae</i>	Fusariose	Tulip	Valaskova 1983	laboratory
		<i>Fusarium oxysporium f. sp. Melonis</i>	Fusariose	Melon	Bastels-Schooley & MacNeil 1971	laboratory
		<i>Fusarium roseum</i>	Fusariose	Rosa, turf	Smiley & Howard 1976	field
		<i>Fusarium roseum</i> var. <i>sambucinum</i>	Dry rot	Potato	Tivoli <i>et al.</i> 1986	field
		<i>Fusarium solani f. sp. pisi</i>	Fusariose	Solanaceae	Richardson 1973	field, laboratory
		<i>Fusarium sulphureum</i>	dry rot	Potato	Hanson <i>et al.</i> 1996	field
		<i>Fusarium udum</i>	Fusarium	?	Kamble <i>et al.</i> 2013	Lab
		<i>Fusicladium effusum</i>	Scab	Pecan	Littrell 1977	
		<i>Gibberella fujikuroi</i>	Fusariose	Rice	Ogawa 1988	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Gibberella zeae</i>		Rice	Liu <i>et al.</i> 2010	lab analysis
		<i>Gloeosporium spp.</i>	Fruit rot	Apple		
		<i>Glomerella acutata</i>	Storage rot	Apple	Weber & Palm 2010	field isolates
		<i>Guignardia citricarpa</i>	Black spot	Citrus	Herbert & Grech 1985	field
		<i>Helminthosporium solani</i>	Silver scurf	Potato	Geary <i>et al.</i> 2007	field (USA)
		<i>Hypomyces rosellus</i>	Cobweb disease	Mushrooms	Fletcher & Yarham 1976	field
		<i>Lecanicillium fumgicola</i>	Dry bubble disease	Mushrooms	Mehrpavar <i>et al.</i> 2013	field
		<i>Leveillula taurica</i>	Powdery mildew	Tomato	Jones & Thompson 1982	field
		<i>Monilinia cinerea</i>	Brown rot	Rosa	Abelentsev & Golyshin 1973	laboratory
		<i>Monilinia fructicola</i>	Brown rot	Pome fruit	Jones & Ehret 1976	field
		<i>Monilinia fructigena</i>	Brown rot	Pome fruit	Abelentsev & Golyshin 1973	laboratory
		<i>Monilinia laxa</i>	Brown rot	Pome fruit	Ogawa <i>et al.</i> 1981	field
		<i>Mycogone perniciosa</i>	Wet bubble	Mushrooms	Fletcher & Yarham 1976	field
		<i>Mycosphaerella brassicicola</i>	Ring spot	Brassicas		
		<i>Mycosphaerella citri</i>	Greasy spot	Citrus	Whiteside 1980b	field
		<i>Mycosphaerella fijiensis</i>	Black spot	Banana	Stover 1979	field
		<i>Mycosphaerella fragariae</i>	Leaf spot	Strawberry	Remiro & Kimati 1974	field
		<i>Mycosphaerella melonis</i>	Leaf spot / gummy stem blight	Strawberry	Kato <i>et al.</i> 1984	field
		<i>Mycosphaerella musicola</i>	Yellow spot	Banana	Joya C 1982	field



MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Neofabraea alba</i>	Storage rot	Apple	Weber & Palm 2010	field isolates
		<i>Neofabraea perennans</i>	Storage rot	Apple	Weber & Palm 2010	field isolates
		<i>Neonectria ditissima</i>	European canker	Pipfruit	Walter <i>et al.</i> 2014	Field?
		<i>Neonectria galligena</i>	Storage rot	Apple	Weber & Palm 2010	field isolates
		<i>Neurospora crassa</i>	Red mold	Bread	Sisler 1971	laboratory
		<i>Oidiopsis taurica</i>	Powdery mildew	Artichoke		
		<i>Oidium begonia</i>	Powdery mildew	Begonia		
		<i>Penicillium brevicompactum</i>			Bollen & Scholten 1971	laboratory
		<i>Penicillium corymbiferum</i>	Rot	Crocus	Bollen & Scholten 1971 Jarvis & Hargreaves 1973	laboratory field
		<i>Penicillium digitatum</i>	Green rot	Citrus / Pome fruit	Wild 1983	field
		<i>Penicillium expansum</i>	Blue mold	Pome fruit / pear	Wicks 1977	field
		<i>Penicillium fructigenum</i>		various	Iida W 1975	field
		<i>Penicillium italicum</i>	Blue rot	Citrus	Muirhead 1974; Yu 1981	field
		<i>Penicillium oxalicum</i>	Stem rot	Cucurbits		
		<i>Penicillium sclerotigenum</i>		Yellow yam	Plumbley <i>et al.</i> 1984	field
		<i>Pestalotiopsis longiseta</i>	Gray blight	Tea	Omatsu <i>et al.</i> 2012	field
		<i>Pezizula alba</i>	Ripe spot	Pome fruits	Bielenin 1986	field
		<i>Phoma clematidina</i>	Wilt	Clematis	*	
		<i>Phoma tracheiphila</i>	Malsecco	Citrus	Gilmenez & Luisi. 1978	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Phytophthora citricola</i>	Dieback	Azalea	Ferrin & Kabashima 1991	field / laboratory
		<i>Phomopsis citri</i>	Stem-end rot	Citrus	Spalding 1982	laboratory
		<i>Podosphaera leucotricha</i>	Powdery mildew	Fruit trees	Suta & Radulescu 1986	laboratory
		<i>Pseudocercospora herpotrichoides</i>	Eyespot	Cereals	Griffin <i>et al.</i> 1982	field
		<i>Pyrenopeziza brassicae</i>	Light leaf spot	Oilseed rape	Ilott <i>et al.</i> 1987	laboratory
		<i>Rhynchosporium secalis</i>	Leaf blotch/scald	Barley		
		<i>Rhizoctonia solani</i>	Brown Rhizoctonia	Solanaceae	Martin <i>et al.</i> 1984 Manish Agrawal <i>et al.</i> 2013	Laboratory Field
		<i>Sclerotinia fructicola</i>	Brown rot	Stone fruits	Whan J H 1976	field
		<i>Sclerotinia homeocarpa</i>	Dollar spot	Grass	Cole 1974 Detweiler <i>et al.</i> 1983 Wong S P 2003 Ostrander <i>et al.</i> 2014	field
		<i>Sclerotinia sclerotiorum</i>	Sclerotiniose	Oilseed rape		
		<i>Sclerotium spp.</i>	Stem rot	Alliaceae/Potato/Carrot		
		<i>Septoria apiicola</i>	Leaf spot	Celery		
		<i>Septoria leucanthemi</i>	Leaf spot	Chrysanthemum	Paulus <i>et al.</i> 1976	field
		<i>Septoria tritici</i>	Leaf spot	Cereals	Griffin & Fisher 1985	laboratory
		<i>Sphaerotheca fuliginea</i>	Powdery mildew	Cucurbits	Schroeder & Providenti 1971; Naegler <i>et al.</i> 1977	field
		<i>Sphaerotheca humuli</i>	Powdery mildew	Ornamental flowers	Iida 1975	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Sphaerotheca pannosa</i>	Powdery mildew	Rosa / Peach tree	Jarvis & Slingsby 1975	field
		<i>Sporobolomyces roseus</i>	Pink yeast	Rosa (mutation)	Nachmias & Barash 1976	laboratory
		<i>Stagonospora curtisii</i>	Leaf scorch	Ornamental flowers / Narcisssus	Saniewska 1985	field
		<i>Talaromyces flavis</i>		Fruits	Katan <i>et al.</i> 1984	laboratory
		<i>Tapesia yallundae</i>	Eyespot	Cereals	see <i>P. herpotrichoides</i>	field
		<i>Tapesia acuformis</i>	Eyespot	Cereals	see <i>P. herpotrichoides</i>	field
		<i>Trichoderma harzianum</i>	Green mold	Soil / Mushrooms	Eastburn & Butler 1986	field
		<i>Uncinula necator (now Erysiphe necator)</i>	Powdery mildew	Grapes / Vines	Naegler <i>et al.</i> 1977; Pearson 1980 Pearson & Taschenberg 1980	field
		<i>Ustilago hordei</i>	Barley covered smut	Barley	Ben-Yephet Y <i>et al.</i> 1975	laboratory
		<i>Venturia inaequalis</i>	Scab	Pome fruit	Kiebacher & Hoffmann 1976	field
		<i>Venturia nashicola</i>	Scab	Pome fruit	Ishii & Yamaguchi 1981	field
		<i>Venturia pirina</i>	Scab	Pome fruit	Shabi & Ben-Yephet 1976	field
		<i>Verticillium albo-atrum</i>	Verticillium	Pome fruits	Ververke 1983	laboratory

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Verticillium dahlia</i>	Verticillium	Pome fruit / Solanacea	Locke & Thorpe 1976 McHugh & Schreiber 1984	field
		<i>Verticillium fungicola</i>	Verticillium	Mushrooms	Fletcher & Yarham 1976; Samuels & Johnston 1980	field
		<i>Verticillium malthousei</i> (= <i>V. fungicola</i> )	Verticillium	Mushrooms	Lambert & Wuest 1973	field
		<i>Verticillium tricorpus</i>	Wilt	Tomato		
<b>B2</b>	<b>10</b>	<b>N-phenyl carbamates: <math>\beta</math>-tubulin assembly in mitosis</b>				
		<i>Botrytis cinerea</i>	Grey mold	Grapevine	Elad <i>et al.</i> 1988 Katan <i>et al.</i> 1989 Elad <i>et al.</i> 1992	cross resistance to phenylcarbamates, Group 10 field field
		<i>Corynespora cassiicola</i>	Target spot	Tomato	Date <i>et al.</i> 2004 Huang DaYe <i>et al.</i> 2013	field
		<i>Neurospora crassa</i>			Fujimura <i>et al.</i> 1994	resistance mechanism
		<i>Verticillium fungicola</i>	Dry bubble	Mushroom	Bonnen & Hopkins 1997	field isolates

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
B3	22	<b>Benzamides / thiazole carboxamide; <math>\beta</math> tubulin assembly in mitosis</b>				
		<i>Phytophthora capsici</i>	Stem/Fruit rot	Peppers	Bi Yang <i>et al.</i> 2014	Laboratory study
B4	20	<b>Phenylureas: cell division (unknown site)</b>				
		<i>Rhizoctonia solani</i>	Seedling damping-off	Various vegetables and ornamentals	Chen <i>et al.</i> 1996	laboratory
B5	43	<b>Benzamides: Delocalisation of spectrin-like proteins</b>				
		<i>Pseudoperonospora cubensis</i>	Downy mildew	Cucurbit	Wang WenQiao <i>et al.</i> 2014	laboratory
B6	47	<b>Cyanoacrylates: Actin/Myosin/Fimbrin/Function</b>				
		<b>Aryl-phenyl-ketones: Actin/Myosin/Fimbrin/Function</b>				
		<i>Blumeria graminis</i>	Powdery mildew	Wheat	Top Agrar, Dec. 2009 Felsenstein <i>et al.</i> 2010 (as above)	Field, Germany
<b>C: RESPIRATION</b>						
C1	39	<b>Pyrimidineamines / Pyrazole-Met 1 / Quinazoline: Complex 1 NADH Oxido-reductase</b>				
		No resistance reported				
C2	7	<b>SDHI fungicides (Succinate dehydrogenase inhibitors) : Complex II succinate-dehydrogenase</b>				
		<i>Alternaria alternata</i>	Alternaria blight	Pistachio	Avenot & Michallides 2007 Avenot <i>et al.</i> 2008	field resistance mechanism
		<i>Alternaria solani</i>	Early blight	Potato	Mallik <i>et al.</i> 2014	laboratory

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
					Miles <i>et al.</i> 2014	field
		<i>Aspergillus oryzae</i>		Rice	(FRAC:) Shima, Y. <i>et al.</i> 2009	Laboratory
		<i>Aspergillus nidulans</i>			White & Georgopoulos 1986	mutant study
		<i>Blumeriella jaapii</i>	Cherry leaf spot	Cherry	Outwater <i>et al.</i> 2013	Field
		<i>Botryotinia fuckeliana (Botrytis cinerea)</i>	Grey mould		Angelini <i>et al.</i> 2010	Laboratory genetic analysis
		<i>Botrytis cinerea</i>	Grey mould	Grapevine Strawberry Kiwi fruit  Apple	FRAC 2007 FRAC 2007 Bardas <i>et al.</i> 2010  Yin <i>et al.</i> 2011	field field multiple resistance field
		<i>Botrytis elliptica</i>	Grey mould	Lilly	FRAC 2007	field
		<i>Coprinus cinereus</i>			Ito <i>et al.</i> 2004	mutation study and genetic analysis
		<i>Corynespora cassiicola</i>	Corynespora leaf spot	Cucumber	Miyamoto <i>et al.</i> 2007 Ishii <i>et al.</i> 2007  Miyamoto <i>et al.</i> 2009 Miyamoto <i>et al.</i> 2010b	field (greenhouses) molecular mechanism full field report  field
		<i>Didymella bryoniae</i>	Gummy stem blight	Cucurbits	FRAC 2007	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
					Stevenson <i>et al.</i> 2008	field
		<i>Monilinia fructicola</i>	Brown rot	Peach	Chen <i>et al.</i> 2013	field
		<i>Mycosphaerella graminicola</i> = <i>Zymoseptoria tritici</i>	Leaf spot	Wheat	Skinner <i>et al.</i> 1998	laboratory mutation study
		<i>Phakopsara pachyrhize</i>	Rust	Soybean	FRAC 2017	field
		<i>Podosphaera xanthii</i>	Powdery mildew	Melon Cucumber	FRAC 2007 Miyamoto <i>et al.</i> 2010a	field field (Japan, glasshouses)
		<i>Pyrenophora teres</i>	Net Blotch	Barley	Stammler G. 2014	field
		<i>Ramularia collo-cygni</i>	Leaf Spot	Barley	FRAC 2017	field
		<i>Sclerotinia sclerotiorum</i>	White Mold	OSR	FRAC 2014	field
		<i>Stemphylium vesicarium</i>	Leaf Blight	Asparagus	FRAC 2014	field
		<i>Ustilago maydis</i>	Smut	Maize	Keon <i>et al.</i> 1991	laboratory mutation study
		<i>Ustilago nuda</i>	Loose smut	Barley	Leroux & Berthier 1988	field
		<i>Venturia inaequalis</i>	Scab	Apple	FRAC 2014	field
<b>C3</b>	<b>11</b>	<b>QoI fungicides (Quinone outside Inhib.): Complex III cytochrome bc1 (ubiquinol oxidase) at Qo site (cyt b gene)</b>				
		<i>Alternaria alternata</i>	Alternaria late blight	Pistachio	Ma <i>et al.</i> 2003 Avenot & Michallides 2007	field / laboratory field
		<i>Alternaria alternata</i>	Alternaria blotch	Apple	Ishii 2008	field
		<i>Alternaria alternata</i>	Alternaria brown spot	Citrus	Mondal <i>et al.</i> 2009	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Alternaria alternata</i>	Leaf spot	Potato Tomato	FRAC 2011 FRAC 2016	field, G143A, Europe
		<i>Alternaria arborescens</i>	Alternaria late blight	Pistachio	Ma <i>et al.</i> 2003	field / laboratory
		<i>Alternaria mali</i>	Alternaria blotch	Apple	Lu <i>et al.</i> 2003	field
		<i>Alternaria solani</i>	Leaf spot	Potato	Pasche <i>et al.</i> 2002, 2004, Pasche <i>et al.</i> 2005 Pasche & Gudmestad 2008	field resistance mechanism fitness of F129L
		<i>Alternaria tenuissima</i>	Alternaria late blight	Pistachio	Ma <i>et al.</i> 2003	field / laboratory
		<i>Ascochyta rabiei</i>	Ascochyta blight	Chickpea	Wise <i>et al.</i> 2009	field. Northern Great Plains / Pacific N West
		<i>Blumeria graminis</i> , see <i>Erysiphe graminis</i>				
		<i>Botrytis cinerea</i>	Grey mold	Strawberry Strawberry, citrus Kiwi fruit Grapes, soft fruit	Markoglou <i>et al.</i> 2006 FRAC 2007 Ishii 2008 Bardas <i>et al.</i> 2010 FRAC 2015	mutation study Field, G143A, Germany Field, Japan Multiple resistance



MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Cercospora beticola</i>	Leaf spot	Sugar beet	Keshav Burla <i>et al.</i> 2012 Bolton <i>et al.</i> 2013	Field G143A Italy Field G143A USA
		<i>Cercospora kikuchii</i>	Leaf blight	Soybeans	Price, P.P III <i>et.al.</i> 2015	Field G143A USA
		<i>Cercospora sojina</i>	Frogeye spot	Soybeans	FRAC 2011	Field, G143A, USA
		<i>Colletotrichum graminicola</i>	Leaf spot	Annual bluegrass / bent grass	Avila-Adame <i>et al.</i> 2003	field
		<i>Colletotrichum gloeosporioides</i>	Anthrachnose	Strawberry	Ishii 2008	field
		<i>Corynespora cassiicola</i>	Leaf spot, target spot	Cucumber	Ishii 2004 FRAC Brazil G143A 2012	field field
		<i>Didymella bryoniae</i>	Gummy stem blight	Cucurbits Watermelon	Olaya & Holm 2001 Langston 2002 Stevenson <i>et al.</i> 2002	field field field
		<i>Didymella rabiei</i>	Ascochyta blight	Chickpea	Gossen & Anderson 2004	field
		<i>Erysiphe graminis tritici</i>	Powdery mildew	Wheat	Heaney <i>et al.</i> 2000 Sierotzki <i>et al.</i> 2000a	field resistance mechanism
		<i>Erysiphe graminis hordei</i>	Powdery mildew	Barley	Heaney <i>et al.</i> 2000	field
		<i>Erysiphe necator</i> : see also <i>Uncinula necator</i>				
		<i>Fusicladium carpophilum</i>	Leaf spot	Almond	Foerster <i>et al.</i> 2009 Luo <i>et al.</i> 2013	California orchards

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Glomerella cingulata</i> ( <i>Colletotrichum gloeosporioides</i> )	Anthrachnose	Strawberry	Ishii 2004	
		<i>Magnaporthe oryzae</i>	Leaf spot	<i>Lolium perenne</i> (perennial ryegrass)	Ma & Uddin 2009	Study on 1 field isolate
		<i>Microdochium nivale</i> <i>Microdochium majus</i>	Stem / head blight.	Wheat	Walker <i>et al.</i> 2009	isolates from seed
		<i>Microdochium nivale</i>	Head blight	Wheat	FRAC 2011	FRAC Japan report
		<i>Microdochium spp.</i>	Stem / head blight	CeStempeals	FRAC 2008	field, France, G143A confirmed
		<i>Monilinia laxa</i> <i>M. fructigena</i> <i>M. fructicola</i>	Brown rots	Fruit	Meissner & Stammler 2010	Not resistance but evidence of an intron
		<i>Mycosphaerella fijiensis</i>	Black Sigatoka	Banana	Heaney <i>et al.</i> 2000 Sierotzki <i>et al.</i> 2000b  Chin <i>et al.</i> 2001	field resistance mechanism field
		<i>Mycosphaerella graminicola</i> See also <i>Septoria tritici</i>	Leaf spot	Wheat	Armand <i>et al.</i> 2003 Clark 2005 Fraaije <i>et al.</i> 2005 Gisi <i>et al.</i> 2005	field field, review field field
		<i>Mycovellosiella natrassii</i>	Leaf mold	Eggplant / aubergine	Yano & Kawada 2003 Ishii 2004	field / laboratory field
		<i>Pestalotiopsis longiseta</i>	Gray blight	Tea	Omatsu <i>et al.</i> 2012	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Phaeosphaeria nodorum</i>	Leaf blotch	Wheat	Blixt <i>et al.</i> 2009	field, molecular data
		<i>Phakopsora pachyrhizi</i>	Rust	Soybean	Klosowski <i>et al.</i> 2015	field
		<i>Pseudoperonospora cubensis</i>	Downy mildew	Cucumber	Heaney <i>et al.</i> 2000	field
		<i>Plasmopara viticola</i>	Downy mildew	Grapevine	Heaney <i>et al.</i> 2000 Gullino <i>et al.</i> 2004 Sierotzki <i>et al.</i> 2005	field field review
		<i>Podosphaera fusca</i>	Powdery mildew	Cucumber	Ishii <i>et al.</i> 2001 Fernandez-Ortuno <i>et al.</i> 2006 Fernandez-Ortuno <i>et al.</i> 2008	Field  Resistance mechanism
		<i>Podosphaera xanthii</i>	Powdery mildew	Cucurbits	McGrath & Shishkoff 2003a, b	field trial
		<i>Pseudocercospora vitis</i>	Grapevine leaf blight	Grapevines	Kikuhara <i>et al.</i> 2014	Greenhouse/field
		<i>Pseudoperonospora cubensis</i>	Downy mildew	Cucumber	Heaney <i>et al.</i> 2000 Ishii <i>et al.</i> 2001	field field
		<i>Pyrenophora teres</i>	Net blotch	Barley	FRAC Semar <i>et al.</i> 2007	field molecular analysis (F129L)
		<i>Pyrenophora tritici-repentis</i>	Tan spot	Wheat	Reimann & Deising 2005 FRAC	field field
		<i>Pyricularia grisea</i>	Gray leaf spot	Perennial ryegrass	Vincelli & Dixon 2002 Kim <i>et al.</i> 2003	field field / resistance mechanism

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Pyricularia oryzae</i>	Blast	Rice	FRAC Japan	field (G143A)
		<i>Pythium aphanidermatum</i>	Damping off	Turf	Gisi <i>et al.</i> 2002 Olaya <i>et al.</i> 2003	laboratory field / resistance mechanism
		<i>Ramularia colli-cygni</i>	Necrotic leaf spot	Barley	FRAC 2006	field
		<i>Rhizoctonia solani</i>	Rhizoctonia	Potato	Djebali <i>et al.</i> 2014	field, F129L
		<i>Rhizoctonia solani</i>	Sheath spot	Rice	FRAC 2011	field, F129L, USA
		<i>Rhynchosporium secalis</i>	Scald, leaf blotch	Barley	FRAC 2008	field, single isolate, Picardie
		<i>Saccharomyces cerevisiae</i>			Di Rago <i>et al.</i> 1989	resistance mechanism
		<i>Septoria nodorum</i> , see <i>Sphaeosphaeria nodorum</i>				
		<i>Septoria tritici</i> See also <i>Mycosphaerella</i> <i>graminicola</i> and <i>Zymoseptoria</i> <i>tritici</i>	Leaf spot	Wheat	Fraaije & Lucas 2003	field
		<i>Sphaerotheca aphanis</i> var. <i>aphanis</i>	Powdery mildew	Strawberry	Ishii 2008	field
		<i>Sphaerotheca fuliginea</i>	Powdery mildew	Cucumber	Heaney <i>et al.</i> 2000 Ishii <i>et al.</i> 2001	field field
		<i>Stemphylium vesicarium</i>	Brown spot	Pears	FRAC 2006 Alberoni <i>et al.</i> 2010a	field as above, field
		<i>Stemphylium vesicarium</i>	Purple spot / sand blast	Asparagus	FRAC 2006	field
		<i>Uncinula necator</i> (see also <i>Erysiphe necator</i> )	Powdery mildew	Grapevine	Wilcox <i>et al.</i> 2003	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Ustilago maydis</i>	Smut	Maize	Ziogas <i>et al.</i> 2002	laboratory mutants
		<i>Venturia inaequalis</i>	Scab	Apple	Zheng <i>et al.</i> 2000 Farber <i>et al.</i> 2002 Steinfeld <i>et al.</i> 2002 Dux <i>et al.</i> 2005	laboratory mutants field trial field field
		<i>Zymoseptoria tritici</i>	Septoria blotch	Wheat	Hayes <i>et al.</i> 2013	field
<b>C4</b>	<b>21</b>	<b>QiI fungicides (Quinone Inside Inhibitors): Complex III: cytochrome bc1 (ubiquinone reductase) at Qi site</b>				
		<i>Phytophthora capsici</i>	Stem / fruit rot	General	Kousik & Keinath 2008	Not specified
		<i>Saccharomyces cerevisiae</i>			Di Rago & Colson 1988	the basis of resistance
<b>C5</b>	<b>29</b>	<b>Uncouplers of Oxidative Phosphorylation</b>				
		<i>Botrytis cinerea</i>	Grey mold	Adzuki bean	Tamura 2000	field (fluazinam)
<b>C6</b>	<b>30</b>	<b>Organo Tin Compounds: Inhibitors of oxidative phosphorylation, ATP synthase</b>				
		<i>Cercospora beticola</i>	Leaf spot	Sugar beet	Giannopolitis 1978, Giannopolitis & Chrysayi- Tokousbalides M 1980	
<b>C7</b>	<b>38</b>	<b>Thiophene carboxamides: ATP Transport (proposed)</b>				
		<i>Gaeumannomyces graminis</i>	Take-all	Wheat	Joseph-Horne <i>et al.</i> 2000 Russell <i>et al.</i> 2001 Freeman <i>et al.</i> 2005	field field / laboratory field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
C8	45	<b>QoSi fungicides (Quinone outside inhibitor, stigmatellin binding type: Complex III: cytochrome bc1 (ubiquinone reductase) at Qo site, stigmatellin binding sub site.</b>				
		No resistance reported				
<b>D AMINO ACIDS AND PROTEIN SYNTHESIS</b>						
D1	9	<b>AP fungicides (Anilinopyrimidines) Methionine biosynthesis (proposed) (cgs gene)</b>				
		<i>Aspergillus flavus</i>	Aspergillus	Groundnuts	Liu Ye <i>et al.</i> 2014	laboratory
		<i>Botrytis cinerea</i> ( <i>Botryotinia fuckeliana</i> )	Grey mold	Grapevine  Strawberries Vegetables (tomato, peas, beans)	Forster & Staub 1996 Chapeland <i>et al.</i> 1999 Sergeeva <i>et al.</i> 2002 Baroffio <i>et al.</i> 2003 FRAC 2014 FRAC 2015	field experiments field field field experiments
		<i>Botrytis cinerea</i>	Grey mould	Lisianthus	Elad <i>et al.</i> 2008	field
		<i>Penicillium expansum</i>	Blue mould	Apple Apple (stored prod.)	Li & Xiao 2008 Xiao <i>et al.</i> 2011  Yan <i>et al.</i> 2014	Mutation study Samples from stores Stored fruit
		<i>Venturia inaequalis</i>	Scab	Apples	FRAC 2014	
D2	23	<b>Enopyranuronic acid antibiotic. Protein synthesis (ribosome termination step)</b>				
		<i>Streptomyces lividans</i>			Nomura <i>et al.</i> 1991	laboratory
		<i>Pyricularia oryzae</i>	Rice blast	Rice	Sakurai & Naito 1976	laboratory cross resistance study

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
D3	24	<b>Hexopyranosyl antibiotic. Protein synthesis (ribosome initiation step)</b>				
		<i>Acidovorax avenae</i>	Rice diseases	Rice	Yoshii Atsushi <i>et al.</i> 2014	Mutation studies ?
		<i>Bacillus subtilis</i>		Not specified	Tominaga & Kobayashi 1978	Mutation
		<i>Pyricularia oryzae</i>	Rice blast	Finger millet	Taga <i>et al.</i> 1979	field isolates
		<i>Pyricularia oryzae</i>	Rice blast	Rice	Ito & Yamaguchi 1977 Sakurai <i>et al.</i> 1977 Sakurai & Naito 1976	field field laboratory cross resistance study
D4	25	<b>Glucopyranosyl antibiotic. Protein synthesis (ribosome initiation step)</b>				
		<i>Erwinia amylovora</i>	Fire blight	Pear Pear Various Pear, apple, quince Apple	Moller <i>et al.</i> 1972 Schroth <i>et al.</i> 1979 Basim <i>et al.</i> 2001 Manulis <i>et al.</i> 2003 Pang ZhiLi <i>et al.</i> 2013	field surveys
		<i>Erwinia caratovora</i>	Bacterial stalk rot	Maize	Chakravarti & Anilkumar 1969.	<i>In-vitro</i>
		<i>Pseudomonas cichorii</i>		Lettuce	Matsuzaki <i>et al.</i> 1981	Field
		<i>Pseudomonas lapsa</i>	Bacterial stalk rot	Maize	Chakravarti & Anilkumar 1969.	<i>In-vitro</i>
		<i>Pseudomonas syringae</i> pv. <i>syringae</i>	Blossom blast, canker	Pear	Spotts & Cervantes 1995	Field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Pseudomonas syringae</i> pv. tomato	Bacterial speck	Tomato	Silva & Lopes 1995	Field
		<i>Pseudomonas viridiflava</i>		Lettuce	Matsuzaki <i>et al.</i> 1981	Field
		<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i>		Pepper and tomato	Minsavage <i>et al.</i> 1990	
<b>D5</b>	<b>41</b>	<b>Tetracycline antibiotic. Protein synthesis (ribosome elongation step)</b>				
		<i>Erwinia amylovora</i>	Fire blight	Apple, pear	Lacy <i>et al.</i> 1984 Basim <i>et al.</i> 2001	field strain selection field
		<i>Pseudomonas syringae</i> pv. tomato	Bacterial speck	Tomato	Silva & Lopes 1995	Field
		<i>Pseudomonas syringae</i> pv. <i>syringae</i>	Blossom blast, canker	Pear	Spotts & Cervantes 1995	Field
		<i>Xanthomonas arboricola</i>	Bacterial spot	Stone fruit	Bardsley & Jimenez-Gasco 2013	Field
<b>E: SIGNAL TRANSDUCTION</b>						
<b>E1</b>	<b>13</b>	<b>AZN: Aza-naphthalenes. Signal transduction (mechanism unknown)</b>				
		<i>Blumeria graminis</i> f.sp. <i>tritici</i> <i>Erysiphe necator</i>	Powdery mildew	Wheat Grapevine	Genet & Jaworska 2009	Baseline, cross resistance studies
		<i>Erysiphe graminis</i> f. sp. <i>hordei</i>	Powdery mildew	Barley	Hollomon <i>et al.</i> 1997	Mutation



MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
E2	12	<b>PP fungicides (Phenylpyrroles). MAP / Histidine-kinase in osmotic signal transduction (os-2, HOG1)</b>				
		<i>Alternaria brassicicola</i>	Leaf spot	Brassicas	Avenot <i>et al.</i> 2005	field / laboratory resistance mechanism
		<i>Aspergillus parasiticus</i>		Artificial media	Markoglou <i>et al.</i> 2008	mutation study
		<i>Botryotinia fuckeliana</i>	Grey mold	Grapevine	Faretra & Pallastro 1993	mutation
		<i>Botrytis cinerea</i>	Grey Mold	Blackberry/Strawberry	Li Xingpeng <i>et al.</i> 2014	Mutation studies ?
		<i>Fusarium spp.</i>	Seed piece decay	Potato	Peters <i>et al.</i> 2008	Not specified
		<i>Penicillium digitatum</i>	Green mould	Not specified	Kanetis <i>et al.</i> 2008	Isolates from packing houses but no crop losses
		<i>Penicillium expansum</i>	Blue mould	Apple	Li & Xiao 2008	Mutation study
		<i>Sclerotinia sclerotiorum</i>	Stem rot	Rapeseed	Duan YaBing <i>et al.</i> 2014	Methodology/Mutation studies
E3	2	<b>Dicarboximides. MAP / Histidine-kinase in osmotic signal transduction (os-1, Daf1)</b>				
		<i>Alternaria alternata</i>	Leaf spot	Passion fruit	Hutton D G	laboratory / field
		<i>Alternaria spp. alternata, tenuissima, arborescens</i> group	late blight	Pistachio	Ma & Michailides 2004	field / induced
		<i>Alternaria brassicicola</i>	Leaf spot	Brassicas	Avenot <i>et al.</i> 2005	field / laboratory resistance mechanism

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Alternaria daucii</i>	Leaf spot / blight	Carrot	Strandberg 1984 Fancelli & Kimati 1991	laboratory
		<i>Botryosphaeria dothidea</i>	Panicle / shoot blight	Pistachio	Ma <i>et al.</i> 2001	laboratory / field
		<i>Botrytis cinerea</i>	Grey mold	Cucumber	Steekelenburg 1987	field
		<i>Botrytis cinerea</i>	Grey mold	Grapevine	Holz 1979 Leroux <i>et al.</i> 1982	field
		<i>Botrytis cinerea</i>	Grey mold	Strawberry	Davis & Dennis 1979	field
		<i>Botrytis cinerea</i>	Grey mould	Lisianthus	Elad <i>et al.</i> 2008	field
		<i>Botrytis elliptica</i>	Grey mold	Bulbs	Hsiang & Chastener 1990	field
		<i>Botrytis squamosa</i>	Leaf blight	Onion	Tremblay <i>et al.</i> 2003	laboratory
		<i>Botrytis tulipae</i>	Tulip fire	Tulip	Chastagner & Riley 1987	field
		<i>Didymella bryoniae</i>	Grey mold	Cucumber	Steekelenburg 1987	field
		<i>Microdochium nivale</i>	Snow mold	Grass / golf course	Pennucci <i>et al.</i> 1990	field
		<i>Monilinia fructicola</i>	Brown rot / twig/ blossom blight	Stone fruit	Penrose <i>et al.</i> 1985 Elmer & Gaunt 1994	field
		<i>Monilinia laxa</i>	Brown rot	Apple	Katan & Shabi 1981	laboratory
		<i>Neurospora crassa</i>			Grindle 1984	laboratory mutation
		<i>Pyrenopeziza brassicae</i>	Light leaf spot	Oilseed rape / brassicas	Ilott & Ingram 1987	laboratory selection / mutation
		<i>Sclerotinia homeocarpa</i>	Dollar spot	<i>Agrostis palustris</i> (bent grass)	Detweiler <i>et al.</i> 1983	field
		<i>Sclerotinia minor</i>	Basal rot	Lettuce	Hubbard <i>et al.</i> 1997	field

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Sclerotinia minor</i>	Sclerotinia blight	Peanut	Brenneman <i>et al.</i> 1987 Smith <i>et al.</i> 1995	laboratory field
		<i>Sclerotinia sclerotiorum</i>	Sclerotinia	Oilseed rape & soybeans	Zhou Feng <i>et al.</i> 2014	Field (low frequency)
		<i>Stemphylium vesicarium</i>	Brown spot	Pear	Alberoni <i>et al.</i> 2005 Alberoni <i>et al.</i> 2010b	field Resistance mechanism
		<i>Trichoderma aureoviride</i>			Yin Ting <i>et al.</i> 2013	Laboratory
		<i>Ustilago maydis</i>	Smut	Maize	Orth <i>et al.</i> 1994	laboratory mutation
<b>F LIPID SYNTHESSES OR TRANSPORT / MEMBRANE INTEGRITY OR FUNCTION</b>						
<b>F1</b>		Reclassified into E3				
<b>F2</b>	<b>6</b>	<b>Phospho-thiolates and dithiolanes. Phospholipid biosynthesis, methyltransferase</b>				
		<i>Bipolaris oryzae</i>	Rice blast	Rice	Annamalai & Lalithakumari 1992	mutagenesis and field
		<i>Magnaporthe oryzae</i>	Rice blast	Rice	Hu <i>et al.</i> 2014	Resistance mechanisms
		<i>Pyricularia oryzae</i>	Rice blast	Rice	Uesugi 1981	mutation and field
<b>F3</b>	<b>14</b>	<b>AH fungicides (Aromatic Hydrocarbons, chlorophenyls, nitroanilines; and heteroaromatics). Cell peroxidation (proposed)</b>				
		<i>Botrytis cinerea</i>	Grey mold	Glasshouse vegetables	Esuruoso & Wood 1971 Hartill <i>et al.</i> 1983	laboratory / field cross resistance studies with dicarboximides, Group 2

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Phytophthora drechsletii</i>	-	-	Zhu Zhi-feng <i>et al.</i> 2006	Laboratory UV mutation, etridiazole
		<i>Rhizoctonia solani</i>	-	-	Anilkumar & Pandourange Gowda 1981 Van Bruggen & Arneson 1984	PCNB <i>in-vitro</i> adaptation  Tolclofos-methyl, <i>in-vitro</i> adaptation
		<i>Sclerotium rolfsii</i>	Southern blight / stem rot	Peanut	Shim <i>et al.</i> 1998	field
<b>F4</b>	<b>28</b>	<b>Carbamates. Cell membrane permeability, fatty acids (proposed)</b>				
		<i>Pythium spp.</i> (propamocarb) <i>P. aphanidermatum</i> <i>P. cylindrosporium</i> <i>P. dissotocum</i> <i>P. heterothalicum group F</i> <i>P. irregulare</i> <i>P. splendens</i> <i>P. ultimum</i>	Damping off	Not specific but tested on geranium seedlings	Moorman et al. 2002, Moorman and Kim 2004	Glasshouse isolates
<b>F6</b>	<b>44</b>	<b>Microbial (<i>Bacillus sp.</i>). microbial disrupters of pathogen cell membranes.</b>				
		No resistance reported				
<b>F7</b>	<b>46</b>	<b>Plant extract. Cell membrane disruption (proposed)</b>				
		No resistance reported				
<b>F8</b>	<b>48</b>	<b>Polyene. Ergosterol binding</b>				
		No resistance reported				
<b>F9</b>	<b>49</b>	<b>OSBPI (oxysterol binding protein homologue inhibition). Lipid homeostasis and transfer/storage.</b>				
		No resistance reported				

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
<b>G: STEROL BIOSYNTHESIS IN MEMBRANES</b>						
G1	3	<b>DMI Fungicides (DeMethylation Inhibitors) SBI Class I. C14-demethylase in sterol biosynthesis (<i>erg11</i> / <i>cyp 51</i>)</b>				
<b>IMPORTANT NOTE:</b> The DMI group includes several areas of chemistry (See FRAC Code List) and many molecules. Individual molecules can differ widely in their activity spectrum. Cases are known where resistance to one molecule does not always lead to resistance to another molecule. Reasons for this phenomenon are not always clear but appear to be linked to differences in the intrinsic levels of activity between molecules. If in any doubt assume that cross resistance can happen.						
		<i>Aspergillus nidulans</i>	-	-	De Waard & van Nistelrooy 1979	genetic study
		<i>Blumeriella jaapii</i>	Leaf spot	Cherry	Proffer <i>et al.</i> 2006	field
		<i>Botryosphaeria dothidea</i>			Fan Kun <i>et al.</i> 2013	Laboratory
		<i>Botrytis cinerea</i>	Grey mold	Vegetables Various	Elad 1992 Stehmann & De Waard 1996	field laboratory investigation of lack of intrinsic activity
		<i>Calonectria pauciramosa</i>		Nurseries	Guarnaccia <i>et al.</i> 2014	Field
		<i>Calonectria polizzii</i>		Nurseries	Guarnaccia <i>et al.</i> 2014	Field
		<i>Cercospora beticola</i>	Leaf spot	Sugar beet	Henry & Trivellas 1989 Karaoglanidis <i>et al.</i> 2000 Budakov <i>et al.</i> 2014	Laboratory mutants Field isolates  Field
		<i>Cladosporium caryigenum</i>	Scab	Pecan	Reynolds <i>et al.</i> 1997	cross resistance, laboratory

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Colletotrichum gloeosporioides</i>	Anthraxnose	Mango	Gutierrez-Alonso et al. 2003	postharvest / laboratory
		<i>Erysiphe graminis f.sp. hordei</i>	Powdery mildew	Barley	Fletcher & Wolfe 1981	field
		<i>Erysiphe graminis f.sp. tritici</i>	Powdery mildew	Wheat	De Waard et al. 1986	field
		<i>Fusarium asiaticum</i> <i>Fusarium graminearum</i>	Fusarium head blight	Wheat	Yin et al. 2009	Lab study on isolates from China
		<i>Fusarium graminearum</i>	Head blight	Wheat	Spolti <i>et al.</i> 2014	Field
		<i>Fusarium fujikuroi</i>	-	-	Zhao Zhi-hua et al. 2007	Laboratory mutation (prochloraz)
		<i>Fusarium monilifore</i>	Bakanae	Rice	Yanh HongFu <i>et al.</i> 2013	Field
		<i>Fusarium solani. See Nectria haematococca var. cucurbitae</i>	Cucurbits	Foot rot	Kalamarakis <i>et al.</i> 1991	genetic study
		<i>Fusarium verticillioides</i>	Fusarium	Corn	Fan <i>et al.</i> 2014	Laboratory
		<i>Microdochium (Fusarium) nivale</i>	-	-	Cristani & Gambogi 1993	Laboratory
		<i>Monilinia fructicola</i>	Twig blight, brown rot	Stone fruit	Nuninger-Ney <i>et al.</i> 1989 Elmer <i>et al.</i> 1992 Chen <i>et al.</i> 2013	Laboratory Field Field
		<i>Mycosphaerella fijiensis</i>	Sigatoka	Banana	Anonymous 1992	
		<i>Mycosphaerella graminicola</i>	Leaf spot	Wheat	Metcalf <i>et al.</i> 2000 Mavroedi & Shaw 2005 HGCA 2005 Cools <i>et al.</i> 2005	field experiments field experiments field laboratory

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Mycovellosiella natrassii</i>	Leaf mold	Eggplant	Yamaguchi <i>et al.</i> 2000	field
		<i>Nectria haematococca</i> var. <i>cucurbitae</i>	Cucurbits	Foot rot	Kalamarakis <i>et al.</i> 1991	laboratory genetics
		<i>Penicillium digitatum</i>	Citrus	Green mold	Eckert 1987 Wang Jinlong <i>et al.</i> 2014	Laboratory selection Storage
		<i>Penicillium italicum</i>	-	Blue mold	De Waard <i>et al.</i> 1982	laboratory
		<i>Phakopsora pachyrhizi</i>	Rust	Soybeans	Schmitz <i>et al.</i> 2014	Field
		<i>Pseudocercospora herpotrichoides</i> Lente or R type	Eyespot	Wheat	Leroux & Marchegay 1991	field
		<i>Puccinia horiana</i>	White rust	Chrysanthemum	Cevat 1992 Cook 2001	field field
		<i>Puccinia striiformis</i>	Yellow / stripe rust	Wheat	Bayles <i>et al.</i> 2000 Napier <i>et al.</i> 2000	sensitivity shift laboratory
		<i>Pyrenopeziza brassicae</i>	Light leaf spot	Oilseed Rape	Carter <i>et al.</i> 2014	Field
		<i>Pyrenophora teres</i>	Net blotch	Barley	Sheridan <i>et al.</i> 1985	field
		<i>Pyrenophora tritici-repentis</i>	Tan spot	Wheat	Reimann & Deising 2005	field
		<i>Rhizoctonia solani</i>	Rhizoctonia leafspot	Rice	Manish Agrawal <i>et al.</i> 2013	Field
		<i>Rhynchosporium secalis</i>	Leaf blotch, scald	Barley	Hunter <i>et al.</i> 1986 Kendall & Hollomon 1990 Kendall <i>et al.</i> 1993 Cooke <i>et al.</i> 2004	Glasshouse field Field isolates field
		<i>Sclerotinia homoeocarpa</i>	-	-	Vargas <i>et al.</i> 1992	Laboratory

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
			Dollar spot	Turfgrass	Ma & Tredway 2013	Field
		<i>Septoria tritici</i>				See <i>Mycosphaerella graminicola</i>
		<i>Sphaerotheca fuliginea</i>	Powdery mildew	Cucumber	Schepers 1983, 1985a, 1985b	field
		<i>Sphaerotheca mors-uvae</i>	Powdery mildew	Blackcurrant	Goszczyński <i>et al.</i> 1988	field
		<i>Sphaerotheca pannosa</i>	Powdery mildew	Nectarine	Reuveni 2001	field
		<i>Trichoderma koningii</i>	-	-	Figueras-Roca <i>et al.</i> 1996	Laboratory
		<i>Uncinula necator</i>	Powdery mildew	Grapevine	Steva <i>et al.</i> 1990 Reidi & Steinkellner 1996 Miller & Gubler 2003	field field field
		<i>Ustilago avenae</i>	Loose smut	Oats	Hippe & Koller 1986	laboratory
		<i>Ustilago maydis</i>	Smut / blister smut	Maize	Walsh & Sisler 1981	laboratory
		<i>Venturia inaequalis</i>	Scab	Apple	Stanis & Jones 1985; Köller <i>et al.</i> 1991	field laboratory
		<i>Venturia nashicola</i>	Japanese pear scab	Pear	Tomita & Ishii 1998	field
<b>G2</b>	<b>5</b>	<b>Amines (Morpholines) SBI Class II. <math>\Delta^{14}</math> reductase and <math>\Delta^8 - \Delta^7</math> isomerase in sterol biosynthesis (<i>erg24 / erg2</i>)</b>				
		<i>Erysiphe graminis tritici</i>	Powdery mildew	Wheat	Napier <i>et al.</i> 2000	sensitivity shift



MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Erysiphe graminis hordei</i>	Powdery mildew	Barley	Napier <i>et al.</i> 2000	sensitivity shift
		<i>Nectria haematococca</i>			Lasseron-De Felandre <i>et al.</i> 1999	laboratory mutants
		<i>Ustilago maydis</i>	Smut	Maize	Markoglou & Ziogas 1999, 2000, 2001	laboratory mutants
<b>G3</b>	<b>17</b>	<b>KRI fungicides (KetoReductase Inhibitors), (SBI class III). 3-keto reductase C4-demethylation (<i>erg27</i>)</b>				
		<i>Botrytis cinerea</i> ( <i>Botryotinia fuckeliana</i> )	Grey mold	Grapevine	Baroffio <i>et al.</i> 2003 Ziogas <i>et al.</i> 2003 Saito <i>et al.</i> 2011	field experiments mutants field (New York)
		<i>Botrytis cinerea</i>	Grey mould	Lisianthus  Raspberries Strawberries	Elad <i>et al.</i> 2008  FRAC 2014 FRAC 2015	field (low frequency)
		<i>Monilinia laxa</i>	Brown rot	Apple / stone fruit	Malandrakis <i>et al.</i> 2013	Field
<b>G4</b>	<b>18</b>	<b>SBI Class IV. Squalene epoxidase in sterol biosynthesis (<i>erg1</i>)</b>				
		No resistance reported				
<b>H: CELL WALL BIOSYNTHESIS</b>						
<b>H4</b>	<b>19</b>	<b>Polyoxins. Chitin synthase</b>				
		<i>Cochliobolus heterostrophus</i>			Gafur <i>et al.</i> 1998	laboratory mutation
		<i>Alternaria alternata</i>	Black leaf spot	Pear	Gasonshi & Takanashi	

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		<i>Alternaria kikuchiana</i>	Alternaria leaf blotch	Apple, pear	Hori <i>et al.</i> 1976	laboratory study on resistance mechanism
		<i>Alternaria mali</i>	Black leaf spot	Apple	Hwang & Yun 1986	field isolates
		<i>Alternaria solani</i>		Not specified	Maria & Sullia 1986	laboratory adaptation study
		<i>Sclerotium rolfsii</i>		Not specified	Maria & Sullia 1986	laboratory adaptation study
<b>H5</b>	<b>40</b>	<b>CAA fungicides (Carboxylic acid amides). Cellulose synthase</b>				
		<i>Phytophthora capsici</i>	Stem and fruit rot	Peppers	Young <i>et al.</i> 2001 Young <i>et al.</i> 2005 Lu <i>et al.</i> 2010 Pang ZhiLi <i>et al.</i> 2013	laboratory selection cross resistance study field Laboritory
		<i>Phytophthora infestans</i>	Late blight	Potato	Dereviagina <i>et al.</i> 1999 Stein & Kirk 2003 Yuan <i>et al.</i> 2006	unstable field isolates mutation mutation
		<i>Phytophthora melonis</i>	Foot rot	Cucumber/cucurbits	Lei Chen <i>et al.</i> 2012	mutation
		<i>Phytophthora parasitica</i>	Black shank	Tobacco	Chabane <i>et al.</i> 1993	mutation
		<i>Plasmopara viticola</i>	Downy mildew	Vines	Gisi <i>et al.</i> 2007  Blum <i>et al.</i> 2010	inheritance of resistance resistance mechanism
		<i>Pseudoperonospora cubensis</i>	Downy mildew	Cucurbits	Blum <i>et al.</i> 2011	resistance mechanism

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
<b>I: MELANIN SYNTHESIS IN CELL WALL</b>						
<b>I1</b>	<b>16.1</b>	<b>MBI-R (Melanin biosynthesis Inhibitors: Reductase). Reductase in melanin biosynthesis</b>				
		<i>Magnaporthe grisea / Pyricularia oryzae</i>	Rice blast	Rice	Zhang <i>et al.</i> 2006	UV light generated mutants
<b>I2</b>	<b>16.2</b>	<b>MBI-D (Melanin biosynthesis Inhibitors: Dehydratase). Dehydratase in melanin biosynthesis</b>				
		<i>Magnaporthe grisea / Pyricularia oryzae</i>	Rice blast	Rice	Yamaguchi <i>et al.</i> 2002 Sawada <i>et al.</i> 2004 Takagaki <i>et al.</i> 2004 Yamada <i>et al.</i> 2004	Field field resistance mechanism field
<b>I3</b>	<b>16.3</b>	<b>MBI-P (Melanin biosynthesis Inhibitors: Polyketide synthase). Polyketide synthase in melanin biosynthesis</b>				
		No resistance reported				
<b>P: HOST PLANT DEFENCE INDUCTION</b>						
<b>P1</b>	<b>P01</b>	<b>Benzo-thiadiazole (BTH). Salicylate related</b>				
		No resistance recorded				
<b>P2</b>	<b>P02</b>	<b>Benzisothiazole. Salicylate related</b>				
		No resistance recorded				

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
P3	P03	<b>Thiadiazole-carboxamide. Salicylate related</b>				
		No resistance recorded				
P4	P04	<b>Natural compound. Polysaccharide elicitors.</b>				
		No resistance recorded				
P5	P05	<b>Plant extract. Anthraquinone elicitors.</b>				
		No resistance recorded				
P6	P06	<b>Microbial. Microbial elicitors.</b>				
		No resistance recorded				
P7	P07 (33)	<b>Phosphonates. Phosphonates</b>				
		<i>Bremia lactucae</i>	Downy mildew	lettuce	Brown <i>et al.</i> 2004	field
		<i>Phytophthora citrophthora</i>	Collar rot / foot rots		Angeles Diaz Borrás & Vila Aguila 1988	<i>in -vitro</i>
		<i>Plasmopara viticola</i>	Downy mildew	Grape vine	Khilare <i>et al.</i> 2003	field
		<i>Pythium aphanidermatum</i>		Not specified	Sanders <i>et al.</i> 1990	<i>in-vitro</i> mutation

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
<b>U: UNKNOWN MODE OF ACTION</b> (U numbers not appearing in the list derived from reclassified fungicides)						
<b>U</b>	<b>27</b>	<b>Cyanoacetamide oximes. Unknown.</b>				
		<i>Plasmopara viticola</i>	Downy mildew	Grapevine	Gullino <i>et al.</i> 1997	field
<b>U</b>	<b>34</b>	<b>Phthalamic acids. Unknown.</b>				
		No resistance recorded				
<b>U</b>	<b>35</b>	<b>Benzotriazines. Unknown.</b>				
		No resistance recorded				
<b>U</b>	<b>36</b>	<b>Benzene-sulfonamides. Unknown.</b>				
		No resistance recorded				
<b>U</b>	<b>37</b>	<b>Pyradazinones. Unknown.</b>				
		No resistance recorded				
<b>U</b>	<b>U06</b>	<b>Phenyl-acetamide. Unknown.</b>				
		<i>Sphaerotheca cucurbitae</i>	Powdery mildew	Cucumber	Hosokawa <i>et al.</i> 2006	glasshouses, Japan
<b>U</b>	<b>U12</b>	<b>Guanidines. Cell membrane disruption (proposed)</b>				
		No resistance recorded				
<b>U</b>	<b>U13</b>	<b>Thiazolidine. Unknown</b>				
		No resistance recorded				
<b>U</b>	<b>U14</b>	<b>Pyrimidinone-hydrazones. Unknown</b>				
		No resistance recorded				
<b>U</b>	<b>U16</b>	<b>4-quinolyl-acetate. Complex III: cytochrome bc1, unknown binding site (proposed)</b>				
		No resistance recorded				

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
U	U17	<b>Tetrazolyloxime. Unknown.</b>				
		No resistance recorded				
U	U18	<b>Glycopyranosyl antibiotic. Unknown (inhibition of trehalase)</b>				
		<i>Coprinus cinereus</i>			Shim <i>et al.</i> 1994	
<b>NC: NOT CLASSIFIED</b>						
NC	NC	<b>Diverse. Unknown</b>				
		<i>Botryotinia fuckeliana</i>	Resistant to <i>Bacillus subtilis</i> strain CL27		Li & Leifert 1994	Lab study
<b>M: CHEMICALS WITH MULTI-SITE ACTIVITY</b>						
M	M01	<b>Inorganics, (electrophiles). Coppers</b>				
		<i>Pseudomonas</i> species: <i>P. cepacia</i> <i>P. gladioli</i> <i>P. syringae</i> pv. <i>actinidiae</i> <i>Agrobacterium</i> species: <i>A. radiobacter</i> <i>A. tumefaciens</i>		Not specified, laboratory isolates	Goto <i>et al.</i> 1994	<i>in-vitro</i> tests
		<i>Xanthomonas axonopodis</i> pv. <i>citri</i>	Citrus canker	Grapefruit	Canteros 2002	Field
M	M02	<b>Inorganics, (electrophiles). Sulfur</b>				
		No resistance recorded				
<b>M: CHEMICALS WITH MULTI-SITE ACTIVITY</b>						

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
M	M03	<b>Dithiocarbamates and relatives (electrophiles)</b>				
		<i>Botrytis cinerea</i>	Grey mold	Not specified	Barak & Edgington 1984	laboratory study
		<i>Helminthosporium halodes</i>	Leaf spot	Sugar cane	Reddy & Anilkumar 1989	laboratory study
M	M04	<b>Phthalimides (electrophiles)</b>				
		<i>Botrytis cinerea</i>	Grey mold	Not specified	Barak & Edgington 1984	laboratory study
		<i>Botrytis cinerea</i>		Grapevine	Fourie & Holz 2001	laboratory
		<i>Botrytis cinerea</i>	Grey mold	Glasshouse cucumber	Malathrakis 1989	glasshouse
M	M05	<b>Chloronitriles (phthalonitriles), unspecified mechanism</b>				
		<i>Botrytis cinerea</i>	Grey mold	Not specified	Barak & Edgington 1984	laboratory study
		<i>Botrytis cinerea</i>	Grey mold	Glasshouse cucumber	Malathrakis 1989	
M	M06	<b>Sulphamides, (electrophiles)</b>				
		<i>Botrytis cinerea</i>	Grey mold	Glasshouse cucumber	Malathrakis 1989	
M	M07	<b>Bis-guanidines, (membrane disruptors, detergents)</b>				
		<i>Venturia inaequalis</i>	Scab	Apple	Szkolnik & Gilpatrick 1969, 1971	Dodine
		<i>Hypomyces</i>	-	-	Kappas & Georgopoulos	Dodine, induced resistance
		<i>Penicillium digitatum</i>	Green mold	Citrus	Wild 1983	
		<i>Penicillium italicum</i>	Blue mold	Lemon	Hartill <i>et al.</i> 1983	<i>in-vitro</i>
M	M08	<b>Triazines (unspecified mechanism)</b>				
		No resistance recorded				
M	M09	<b>Quinones (anthraquinones), (electrophiles)</b>				

MOA Code	FRAC Group Code	Pathogen	Common name	Crop	Reference	Remarks
		No resistance recorded				
M	M10	<b>Quinoxalines (electrophiles)</b>				
		No resistance recorded				
M	M11	<b>Maleimide (electrophiles)</b>				
		No resistance recorded				
M	M12	<b>Thiocarbamate (electrophiles). Multi-site contact activity.</b>				
		No resistance recorded				
<b>BM: BIOLOGICALS WITH MULTIPLE MODES OF ACTION</b>						
BM	BM01	<b>Polypeptide (from plant extract). Multiple effects on cell wall, on membrane transporters, chelating effects</b>				
		No resistance recorded				
BM	BM02	<b>Microbial (<i>Trichoderma spp.</i>). Competition, mycoparasitism, antibiosis, lytic enzymes and induced resistance.</b>				
		No resistance recorded				



## References

- A**
- Alberoni G, Cavallini D, Collina M, Brunelli A (2010a) Characterisation of the first *Stemphylium vesicarium* isolates resistant to strobilurins in Italian pear orchards. *European Journal of Plant Pathology* **126** 453-457
- Alberoni G, Collina M, Lanan C, Leroux P, Brunelli A (2010b). Field strains of *Stemphylium vesicarium* with a resistance to dicarboximide fungicides correlated with changes in a two-component histidine kinase. *European Journal of Plant Pathology* **128**, 171-184
- Angeles Diaz Borrás M, Vila Aguilar R (1988). In-vitro resistance of *Phytophthora citrophthora* to metalaxyl and fosetyl-Al.
- Anonymous (1992). Sterol biosynthesis inhibitors – risk of resistance and recommended antiresistance strategies. Recommendations of the FRAC-DMI Working Group for 1992. *Gesunde Pflanzen* **44**, 361 – 365
- Abelentsev V I, Golyshin N M (1973). Adaptatsiya nekotorykh fitopatogennykh gribov k benomilu. *Kimila v Sel'skom Khoz* **11**, 432-436
- Abelentsev V I, Savchenko V I (1980). Resistance of the causative agent of powdery mildew of cucumbers to benzimidazole fungicides. *Khimiya v Sel'skrom Khozyaistve* **18**, 31 - 33
- Alberoni G, Collina M, Pancaldi D, Brunelli A (2005). Resistance to dicarboximide fungicides in *Stemphylium vesicarium* of Italian pear orchards. *European Journal of Plant Pathology* **113**, 211-219
- Albourie J-M, Tourville J, Tourviellie De Labrouhe D (1998). Resistance to metalaxyl in isolates of the sunflower pathogen *Plasmopara halstedii*. *European Journal of Plant Pathology* **194**, 235 – 242
- Amand O, Calay F, Coquillart L, Legat T, Bodson B, Moreau J-M, Maraite H (2003). First detection of resistance to QoI fungicides in *Mycosphaerella graminicola* on winter wheat in Belgium. *Communications in Agricultural and Applied Biological Sciences* **68**, 519-531
- Angelini R M C, Habib W, Rotolo C, Pollastro S, Faretra F (2010). Selection, characterisation and genetic analysis of laboratory mutants of *Botryotinia fuckeliana* (*Botrytis cinerea*) resistant to the fungicide Boscalid. *European Journal of Plant Pathology* **128**, 185-199
- Anilkumar T B, Pandourange Gowda K T (1981). Growth and stability of penta chloronitro benzene resistant isolate of *Rhizoctonia solani*. *Zentralblatt fuer Bakteriologie Parasitenkunde Infektionskrankheiten und Hygiene Zweite Naturwissenschaftliche Abteilung Mikrobiologie der Landwirtschaft der TEchnologie und des Umweltschutzes* **136**, 502-504
- Annamalai P, Lalithakumari D (1987). Cross resistance in edifenphos resistant mutant of *Dreschlera oryzae*. *Indian Phytopathology* **40**, 296
- Annamalai P, Lalithakumari D (1992). Development of resistance in *Bipolaris oryzae* against edifenphos. *Mycological Research* **96**, 454-460
- Avenot H, Simoneau P, Iacomi-Vasilescu B, Bataille-Simoneau N (2005). Characterisation of mutations in the two component histidine kinase gene AbNIK1 from *Alternaria brassicicola* that confer high dicarboximide and phenylpyrrole resistance. *Current Genetics* **47**, 234-243
- Avenot H F, Michailides T J (2007). Resistance to pyraclostrobin, boscalid and Pristine (pyraclostrobin plus boscalid) in *Alternaria alternata* isolates from California. *Phytopathology* **97**, (7, Suppl. S) S5 Jul 2007.
- Avenot H F, SellamA, Karaoglanidis G, Michailides T J (2008). Characterization of mutations in the iron-sulphur subunit of succinate dehydrogenase correlating with boscalid resistance in *Alternaria alternata* from California pistachio. *Phytopathology* **98**, 736-742

Avila-Adame C, Olaya G, Koller, W (2003). Characterisation of *Colletotrichum graminicola* isolates resistant to strobilurin related QoI fungicides. *Plant Disease* **87**, 1426-1432

## B

Bal E, Gilles G, Creemers P, Vandergeten-Bollen J (1987). *Mededelingen van de Faculteit Landbouwwetenschappen Universiteit Gent* **52**, 881 – 894

Barak E, Edgington L V (1984). Cross resistance of *Botrytis cinerea* to captan, thiram, chlorothalonil and related fungicides. *Canadian Journal of Plant Pathology* **6**, 318-320

Bardas G A, Veloukas T, Koutita O, Karaoglanidis G S (2010). Multiple resistance of *Botrytis cinerea* from kiwi fruit to SDHIs, QoIs and fungicides of other chemical groups. *Pest Management Science* **66**, 967-973

Bardsley, S. J.; Jimenez-Gasco, M. D (2013). Oxytetracycline resistance in *Xanthomonas arboricola* pv. *pruni* (causal agent of bacterial spot of stone fruit). *Phytopathology* **103**, No. 6, Suppl. 2, pp. 11.

Baroffio C A, Siegfried W, Hilber U W (2003). Long-term monitoring for resistance of *Botryotinia fuckeliana* to anilinopyrimidine, phenylpyrrole and hydroxyanilide fungicides in Switzerland. *Plant Disease* **87**, 662-666

Basim H, Ozturk S B, Unlu A, Yegen O, Zeller W (2001). Evaluation of *Erwinia amylovora* strains in Turkey for resistance to streptomycin, oxytetracycline and copper. *Phytopathology* **91**, S6

Bastels-Schooley J, MacNeil B H (1971). A comparison of the mode of action of three benzimidazoles. *Phytopathology* **61**, 816-819

Bayles R A, Stigwood P L, Clarkson J D S (2000). Shifts in sensitivity of *Puccinia striiformis* to DMI fungicides in the UK. *Acta Phytopathologica et Entomologica Hungarica* **35**, 381 - 382

Ben-Yephet Y, Henis Y, Dinoor A (1975). Inheritance of tolerance to carboxin and benomyl in *Ustilago hordei*. *Phytopathology* **65**, 563 – 567

Berger R D (1973). Disease progress of *Cercospora apii* resistant to benomyl. *Plant Disease Reporter* **57**, 837 - 840

Bhat R G, McBlain B A, Schmitthenner A F (1993). The inheritance of resistance to metalaxyl and to fluorophenylalanine in mating of homothallic *Phytophthora sojae*. *Mycological Research* **97**, 865 – 870

Bi Yang; Chen Lei; Cai Meng; Pang Zhili; Liu Xili; Zhu Shusheng (2014). Two non-target recessive genes confer resistance to the anti-oomycete microtubule inhibitor zoxamide in *Phytophthora capsici*. *PloS ONE*, **9**, No. 2, pp. e89336. Electronic Publication Date: 20 Feb 2014. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0089336>

Bielenin A (1986). Resistance to benzimidazole fungicides in *Pezizula* spp. *Ochr. Rosl.* **30**, 16-17

Blixt E, Djurle A, Yuen J, Olson Å (2009). Fungicide sensitivity in Swedish isolates of *Phaeosphaeria nodorum*. *Plant Pathology* **58**, 655-664

Blum M, Waldner M, Gisi U (2010). A single point mutation in the novel PvCesA3 gene confers resistance to the carboxylic acid amide fungicide mandipropamid in *Plasmopara viticola*. *Fungal Genetics and Biology*. **47**, 499-510

Blum M, Waldner M, Olaya G, Cohen Y, Gisi U, Sierotzki H (2011). Resistance mechanism to carboxylic acid amide fungicides in the cucurbit downy mildew pathogen *Pseudoperonospora cubensis*. *Pest Management Science*, **67**, 1211-1214

- Bollen G J, Scholten G (1971). Acquired resistance to benomyl and some other systemic fungicides in a strain of *Botrytis cinerea* in cyclamen. *Netherlands Journal of Plant Pathology* **77**, 83 – 90
- Bonnen A M, Hopkins C (1997). Fungicide resistance and population variation in *Verticillium fungicola*, a pathogen of the button mushroom, *Agaricus bisporus*. *Mycological Research* **101**, 89-96
- Bosshard E, Schuepp H (1983). Variability of selected strains of *Plasmopara viticola* with respect to their metalaxyl sensitivity under field conditions. *Zeitschrift fuer Pflanzenkrankheiten und Pflanzenschutz* **90**, 449 – 459
- Brasier C M, Gibbs J N (1975) Methyl benzimidazole-2-yl carbamate tolerance in aggressive and nonaggressive isolates of *Ceratocystis ulmi*. *Annals of Applied Biology* **80**, 231 – 236
- Brenneman T B, Phipps P M, Stipes R J (1987). Sclerotinia blight of peanut relationship between *in vitro* resistance and field efficacy of dicarboximide fungicides. *Phytopathology* **77**, 1028-1032
- Brown S, Koike S T, Ochoa O E, Laemmien F, Michelmore R W (2004). Insensitivity to the fungicide fosetyl-aluminum in California isolates of the lettuce downy mildew pathogen *Bremia lactucae*. *Plant Disease* **88**, 502-508
- Bruck R, Gooding G V Jr, Main C E (1981). Evidence for resistance to metalaxyl in isolates of *Peronospora tabacina*. *Phytopathology* **71**, 558
- Bruck R, Gooding G V Jr, Main C E (1982). Evidence for resistance to metalaxyl in isolates of *Peronospora hyoscyami*. *Plant Disease* **66**, 44 – 45
- Budakov, Dragana; Nagl, Nevena; Stojsin, Vera; Bagi, Ferenc; Danojevic, Dario; Neher, Oliver T.; Taski-Ajdukovic, Ksenija (2014). Sensitivity of *Cercospora beticola* isolates from Serbia to carbendazim and flutriafol. *Crop Protection*, **66**, 120-126.

## C

- Canteros B (2002). Control of citrus canker caused by strains of *Xanthomonas axonopodis* pv. *citri* susceptible and resistant to copper. *Phytopathology* **92**, S116 (meeting abstract)
- Carter, H. E.; Fraaije, B. A.; West, J. S.; Kelly, S. L.; Mehl, A.; Shaw, M. W.; Cools, H. J. (2014). Alterations in the predicted regulatory and coding regions of the sterol 14 $\alpha$ -demethylase gene (CYP51) confer decreased azole sensitivity in the oilseed rape pathogen *Pyrenopeziza brassicae*. *Molecular Plant Pathology*, **15**, Number 5, pp. 513-522
- Cevat H (1992). Japanse roest terug van nooit weggeweest. nu maatregelen nemen om aantasting in najaar te voorkomen. *Vakblad voor de Bloemisterij* **29**, 32 – 33
- Chabane K, Leroux P, Bompeix G (1993). Selection and characterisation of *Phytophthora parasitica* mutants with ultraviolet induced resistance to dimethomorph or metalaxyl. *Pesticide Science* **39**, 325-329
- Chakravarti B P, Anilkumar T B (1969). *Hindustan Antibiotics Bulletin* **12**, 73-74
- Chandler W A, Daniell J W, Littrell R H (1978). Control of peach diseases in annorchard having benomyl tolerant *Cladosporium carpophilum*. *Plant Disease Reporter* **62**, 783 – 786
- Chapeland F, Fritz R, Lanen C, Gredt M, Leroux P (1999). Inheritance and mechanisms of resistance to anilinopyrimidine fungicides in *Botrytis cinerea* (*Botryotinia fuckeliana*). *Pesticide Biochemistry and Physiology* **64**, 85-100

- Chastagner G A, Riley K (1987). Occurrence and control of benzimidazole and dicarboximide resistant *Botrytis* spp. on bulb crops in Western Washington and Oregon USA. *Phytopathology* **77**, 1237
- Chen, F.; Liu, X.; Chen, S.; Schnabel, E.; Schnabel, G. (2013). Characterization of *Monilinia fructicola* strains resistant to both propiconazole and boscalid. *Plant Disease* (2013), **97**, Number 5, pp. 645-651
- Chen Y R, Huang J W, Chen L C (1996). In vitro inspection of penicuron fungicide: Resistant *Rhizoctonia solani* Ag-4 and its interfering factors. *Plant Protection Bulletin (Taichung)* **38**, 313-328
- Chen Yu, Zhou Ming-Guo (2009). Characterization of *Fusarium graminearum* isolates resistant to both carbendazim and a new fungicide JS399-19. *Phytopathology* **99** 441
- Chin K M, Wirz M, Laird D (2001). Sensitivity of *Mycosphaerella fijiensis* from banana to trifloxystrobin. *Plant Disease* **85**, 1264-1270
- Clark E M, Backman P A, Rodriguez-Kabana R (1974). *Cercospora arachidicola* and *Cercosporidium personatum* tolerance to benomyl and related fungicides in Alabama peanut fields. *Phytopathology* **64**, 1476 – 1477
- Clark M R M (1985). Barley leaf stripe mercury resistance. In: *British Crop Protection Council Monograph No. 31. Fungicides for Crop Protection: 100 Years of Progress, Vol 2, Bordeaux Mixture Centenary Meeting*. BCPC Publications, Croydon, England. pp. 351-354
- Clark W (2005). QoI resistance in *Mycosphaerella graminicola* in the UK: implications for future use of QoI fungicides. *Proceedings of the BCPC International Congress, Crop Science & Technology* 283-290
- Cohen, Y.; Vaknin, M.; Ben-Naim, Y.; Rubin, A. E.; Galperin, M; Silverman, D.; Bitton, S.; Adler, U. (2013). First report of the occurrence and resistance to mefenoxam of *Peronospora belbahrii*, causal agent of downy mildew of basil (*Ocimum basilicum*) in Israel. *Plant Disease*, **97**, Number 5, 692 p.
- Cole H, Warren C G, Sanders P L (1974). Fungicide tolerance – a rapidly emerging problem in turfgrass disease control. *Proceedings International Turfgrass Research Conference*. **2D**, 344-349
- Cook R T A, Pereira J L (1976). Strains of *Colletotrichum coffeanum* the causal agent of coffee berry disease tolerant to benzimidazole compounds in Kenya. *Annals of Applied Biology* **83**, 365 – 379
- Cooke L, Locke T, Lockley K D, Phillips A N, Sadiq M D S, Coll R, Black L, Taggart P J, Mercer P C (2004). The effect of fungicide programmes based on epoxyconazole on the control and DMI sensitivity of *Rhynchosporium secalis* in winter barley. *Crop Protection* **23**, 393-406.
- Cools H J, Fraaje B A, Lucas J A (2005). Molecular mechanisms correlated with changes in triazole sensitivity in isolates of *Mycosphaerella graminicola*. *Proceedings of the BCPC International Congress, Crop Science & Technology 2005*, 267-274
- Cristani C, Gambogi P (1993). Laboratory isolation of *Microdochium (Fusarium) nivale* mutants showing reduced sensitivity to sterol biosynthesis inhibitors. *Rivista di Patologia Vegetale* **3**, 49 - 57
- Crute I R, Norwood J M, Gordon P L (1987). The occurrence, characteristics and distribution in the United Kingdom of resistance to phenylamide fungicides in *Bremia lactucae* (lettuce downy mildew). *Plant Pathology* **36**, 297 - 315
- Crute I, Harrison J M (1988). Studies on the inheritance of resistance to metalaxyl in *Bremia lactucae* and on the stability and fitness of field isolates. *Plant Pathology* **37**, 231 – 250

Cui, Linkai; Li, Jinggan; Lu, Jing; Yin, Weixiao; Wang, Yuanchao. (2013). Study on resistance risk of *Phytophthora sojae* to metalaxyl. Nanjing Nongye Daxue Xuebao, **36** (1), 47-51.

## D

- Darvas J M, Becker O (1984). Failure to control *Phytophthora cinnamomi* and *Pythium splendens* with metalaxyl after its prolonged use. *Citrus and Subtropical Fruit Journal* **603**, 9 – 11.
- Date H, Kataoka E, Tanina K, Sasaki S, Inoue K, Nasu H, Kasuyama S (2004). Sensitivity of *Corynespora cassicola*, causal agent of Corynespora target spot of tomato, to thiophanate methyl and diethofencarb. *Japanese Journal of Phytopathology* **70**, 7-9
- Davey J F, Gregory N F, Mulrooney R P, Evans T A, Carroll RB (2008). First report of mefenoxam resistant isolates of *Phytophthora capsici* from lima bean pods in the Mid-Atlantic region. *Plant Disease* **92**, 656
- Davidse L C (1981). Resistance to acylalanine fungicides in *Phytophthora megasperma* f. sp. *medicaginis*. *The Netherlands Journal of Plant Pathology* **87**, 11-24
- Davidse L C, looijeu D, Turkenstein L J, Van Der Wal D (1981). Occurrence of metalaxyl resistant strains of potato blight in Dutch potato fields. *The Netherlands Journal of Plant Pathology* **87**, 65 - 68
- Davidse L C, Danial D L, Van Westen C J (1983). Resistance to metalaxyl in *Phytophthora infestans* in the Netherlands. *The Netherlands Journal of Plant Pathology* **89**, 1 – 20
- Davis R P, Dennis C (1979). Use of dicarboximide fungicides on strawberries and potential problems of resistance in *Botrytis cinerea*. *Proceedings of the British Crop Protection Conference, Pests & Diseases* 193 – 201
- De Waard M A, Van Nistelrooy J G M (1979). Mechanisms of resistance to fenarimol in *Aspergillus nidulans*. *Pesticide Biochemistry and Physiology* **10**, 219 – 229
- De Waard M A, Groeneweg H, Van Nistelrooy J G M (1982). Laboratory resistance to fungicides which inhibit ergosterol biosynthesis in *Penicillium italicum*. *Netherlands Journal of Plant Pathology* **88**, 99 – 112
- De Waard M A, Kipp E M C, Horn N M, Van Nistelrooy J G M (1986). Variation in sensitivity to fungicides which inhibit ergosterol biosynthesis in wheat powdery mildew. *Netherlands Journal of Plant Pathology* **92**, 21 – 32
- Dekker J (1972) In: Marsh R W, *Systemic Fungicides*. John Wiley & Son, New York. pp 156-174
- Derevyagiana M K, Matskavichus G, D'Yakov Yu T (1995). Changes of resistance to dimethomorph of *Phytophthora infestans* (Mont.) D By. isolates during cloning. *Mikologiya i Fitopatologiya* **29**, 44-47
- Dereviagina M K, Elanski S N, Diakov Yu T (1999). Resistance of *Phytophthora infestans* to the dimethomorph fungicide. *Mikologiya i Fitopatologiya* **33**, 208-213
- Detweiler A R, Yargas J M Jr., Danneberger T K (1983). Resistance of *Sclerotinia homoeocarpa* to iprodione and benomyl. *Plant Disease* **67**, 627 – 630
- Di Rago J P, Colson A-M (1988). Molecular basis for resistance to antimycin and diuron Q-cycle inhibitors acting at the Q-I site in the mitochondrial ubiquinol-cytochrome C reductase in *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* **263**, 12564-12570

- Di Rago J-P, Coppee J-Y, Colson A-M (1989). Molecular basis for resistance to myxothiazol mucidin strobilurin A and stigmatellin cytochrome B inhibitors acting at the center of the mitochondrial ubiquinol cytochrome C reductase in *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* **264**, 14543-14548
- Djebali, N.; Elkahoui, S.; Taamalli, W.; Hessini, K.; Tarhouni, B.; Mrabet, M (2014). Tunisian *Rhizoctonia solani* AG3 strains affect potato shoot macronutrients content, infect faba bean plants and show in vitro resistance to azoxystrobin. *Australasian Plant Pathology*, **43**, Number 3, 347-358.
- Duan YaBing; Ge ChangYan; Zhou MingGuo; Duan, Y. B.; Ge, C. Y.; Zhou, M. G (2014). Molecular and biochemical characterization of *Sclerotinia sclerotiorum* laboratory mutants resistant to dicarboximide and phenylpyrrole fungicides. *Journal of Pest Science* **87**, Number 1, 221-230.
- Duineveld Th L J, Beijersbergen J C M (1975). On the resistance to benomyl of fungi isolated from bulbs and corms. *Acta Horticulturae (Wageningen)* **47**, 143-148
- Dux H, Sierotzki H, Meier-Runge F, Gisi U (2005). Sensitivity of *Venturia inaequalis* populations to anilinopyrimidine, DMI and QoI fungicides. *In: Modern Fungicides and Antifungal Compounds IV*. Eds. H-W Dehne, U Gisi, K-H Kuck, P E Russell, H Lyr. BCPC, Alton, UK pp. 45-54

## E

- Eastburn D M, Butler E E (1986). The occurrence of benomyl resistant isolates of *Trichoderma harzianum* in Costa Rican soils. *Phytopathology* **76**, 1066 (abstract)
- Eckert J W (1987). *Penicillium digitatum* biotypes with reduced sensitivity to imazalil. *Phytopathology* **77**, 1728
- Elmer P A G, Gaunt R E (1994). The biological characteristics of dicarboximide resistant isolates of *Monilinia fructicola* from New Zealand stone fruit orchards. *Plant Pathology* **43**, 130 – 137.
- Ehrenhardt H, Eichhorn K W, Thate R (1973). Zur Frage der Resistenzbildung von *Botrytis cinerea* gegenüber systemischen Fungiziden. *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes (Braunschweig)* **25**, 49 – 50
- Elad Y (1992). Reduced sensitivity of *Botrytis cinerea* to two sterol, biosynthesis inhibiting fungicides: fenetrazole and fenethanil. *Plant Pathology* **41**, 47 – 54
- Elad Y, Yunis H, Katan T (1992). Multiple fungicide resistance to benzimidazoles dicarboximides and diethofencarb in field isolates of *Botrytis cinerea* in Israel. *Plant Pathology* **41**, 41-46
- Elad Y, Shpialter L, Korolev N, Mamiev M, Rav David D, Dori I, Ganot L, Shmuel D, Matan E, Messika Y. (2008) Integrated chemical and cultural control for grey mould (*Botrytis cinerea*) management in Lisianthus. *In: Modern Fungicides and Antifungal Compounds IV. Proceedings of the 15<sup>th</sup> International Reinhardtsbrunn Symposium*. Eds. Dehne H-W, Gisi U, Kuck K-h, Russell P E, Lyr H. (in press)
- Elmer P A G, Braithwaite M, Saville D J (1992). Changes in triforine sensitivity in populations of *Monilinia fructicola* from Hawkes Bay orchards. *Proceedings of the 45<sup>th</sup>. New Zealand Plant Protection Conference* **45**, 138 – 140

Esuruoso O F, Wood R K S (1971). The resistance of spores of resistant strains of *Botrytis cinerea* to quintozone tecnazene and dicloran. *Annals of Applied Biology* **68**, 271-279

## F

Falloon R E, Follas G B, Butler R C, Goulder D S (2000). Resistance in *Peronospora viciae* to phenylamide fungicides: reduced efficacy of seed treatments of pea (*Pisum sativum*) and assessment of alternatives. *Crop Protection* **19**, 313 – 325

Fan, J.; Chen, F.; Diao, Y.; Cools, H. J.; Kelly, S. L.; Liu, X. (2014). The Y123H substitution perturbs FvCYP51B function and confers prochloraz resistance in laboratory mutants of *Fusarium verticillioides*. *Plant Pathology* **63**, Number 4, 952-960.

Fan Kun; Qu JianLu; Li LinGuang; Wang Tao; Qin Xu; Li XiaoJun. (2013). Study on baseline-sensitivity of *Botryosphaeria dothidea* to tebuconazole and the biological characteristics of tebuconazole-resistant mutants. *Journal of Fruit Science*, **30**, Number 4, 650-656.

Fancelli M I, Kimati H (1991). Occurrence of iprodione resistant strains of *Alternaria dauci*. *Summa Phytopathologica* **17**, 135-146

Farber R B K, Chin K M, Leadbitter N (2002). Sensitivity of *Venturia inaequalis* to trifloxystrobin. *Pest Management Science* **58**, 261-267

Faretra F, Pollastro S (1993). Isolation, characterisation and genetic analysis of laboratory mutants of *Botryotinia fuckeliana* resistant to the phenylpyrrole fungicide CGA-173506. *Mycological Research* **97**, 620-624

Felsenstein F, Semar M, Stammler G (2010). Sensitivity of wheat powdery mildew (*Blumeria graminis* f.sp *tritici*) towards metrafenone. *Gesunde Pflanzen* **62**, 29-33

Fernandez-Ortuno D, Perez-Garcia A, Lopez-Ruiz F, Romero D, de Vicente A, Tores J A (2006). Occurrence and distribution of resistance to QoI fungicides in populations of *Podosphaera fusca* in south central Spain. *European Journal of Plant Pathology* **115**, 215 – 222

Fernandez-Ortuno D, Tores J A, de Vincente A, Perez-Garcia A (2008). Field resistance to QoI fungicides in *Podosphaera fusca* is not supported by typical mutations in the mitochondrial cytochrome b gene. *Pest Management Science* **64**, 694-702

Ferrin D M, Kabashima J N (1991). *In-vitro* insensitivity to metalaxyl of isolates of *Phytophthora citricola* and *Phytophthora parasitica* from ornamental hosts in Southern California USA. *Plant Disease* **75**, 1041 – 1044

Figueras-Roca M, Cristani C, Vannacci G (1996). Sensitivity of Trichoderma isolates and selected resistant mutants to DMI fungicides. *Crop Protection* **15**, 615 – 620

Fletcher J T, Yarham D J (1976). The incidence of benomyl tolerance in *Verticillium fungicola*, *Mycogone pernicioso* and *Hyphomyces rosellus* in mushroom crops. *Annals of Applied Biology* **84**, 343 – 354

Fletcher J S, Wolfe M S (1981) Insensitivity of *Erysiphe graminis* f. sp. *hordei* to triadimefon, triadimenol and other fungicides. *Proceedngs of the Brighton Crop Protection Conference, Pests & Diseases* 633 – 640

Foerster H, Connell J H, Adaskaveg J E (2009). QoI resistance in *Fusicladium carpophilum* populations from almond in California. *Phytopathology* **99** S35

Forster B, Staub T (1996). Basis for use strategies of anilinopyrimidine and phenylpyrrole fungicides against *Botrytis cinerea*. *Crop Protection* **15**, 529-537

- Fourie P H, Holz G (2001). Incomplete cross-resistance to folpet and iprodione in *Botrytis cinerea* from grapevine in South Africa. *South African Journal of Enology and Viticulture* **22**, 3-7
- Fraaije B A, Burnett F J, Clark W S, Motteram J, Lucas J A (2005). Resistance development to QoI inhibitors in populations of *Mycosphaerella graminicola* in the UK. In: *Modern Fungicides and Antifungal Compounds IV*. BCPC, Alton, UK pp. 63-72
- Fraaije B A, Lucas J A (2003). QoI resistance development in populations of cereal pathogens in the UK. *Proceedings of the BCPC International Congress – Crop Science & Technology* 689 – 694
- FRAC. Where a reference is given as ‘FRAC’ please refer to the FRAC website: [www.frac.info](http://www.frac.info) and the appropriate Working Group page. When a date is given, this indicates the first report to the FRAC Working Group
- FRAG UK. Indicates that a verified case was reported to the FRAG UK Committee
- Freeman J, Ward E, Gutteridge R J, Bateman G L (2005). Methods for studying population structure, including sensitivity to the fungicide siltthiofam, of the cereal take-all fungus, *Gaeumannomyces graminis* var. *tritici*. *Plant Pathology* **54**, 686-698
- Fujimura M, Kamakura T, Inoue K, Yamaguchi I (1994). Amino acid alterations in the beta-tubulin gene of *Neurospora crassa* that confer resistance to carbendazim and diethofencarb. *Current Genetics* **25**, 418-422

## G

- Gafur A, Tanaka C, Shimizu K, Ouchi S, Tsuda M (1998). Genetic analysis of *Cochliobolus heterostrophus* polyoxin resistant mutants. *Mycoscience* **39**, 155-159
- Garibaldi A, Migheli Q, Gullino M L (1987). Evaluation of the efficacy of several fungicides against *Cryptocline cyclaminis* on Cyclamen. *Meded. Fac. Landbouwwet. Rijksuniv. Gent* **52**, 859-865
- Gasonshi K, Takanashi K (1973). Resistance of pear black spot pathogen to polyoxin. *Annals of the Phytopathological Society of Japan* **39**, 173-174
- Geary B, Johnson D A, Hamm P B, James S, Rykbost K A (2007). Potato silver scurf affected by tuber seed treatments and locations, and occurrence of fungicide resistant isolates of *Helminthosporium solani*. *Plant Disease* **91** 315-320
- Genet J L, Jaworska G (2009). Baseline sensitivity to proquinazid in *Blumeria graminis* f. Sp. *Tritici* and *Erysiphe necator* and cross resistance with other fungicides. *Pest Management Science* **65** 878-884
- Georgopoulos S G, Dovas C (1973). A serious outbreak of strains of *Cercospora beticola* resistant to benzimidazole fungicides in northern Greece. *Plant Disease Reporter* **62**, 205 – 208
- Giannopolitis C N (1978). Occurrence of strains of *Cercospora beticola* resistant to tri-phenyl tin fungicides in Greece. *Plant Disease Reporter* **62**, 205-208
- Giannopolitis C N, Chrysayi-Tokousbalides M (1980). Biology of tri phenyl tin resistant strains of *Cercospora beticola* from sugar beet. *Plant Disease* **64**, 940 – 942
- Gilmenez V I, Luisi N (1978). Tolerance to benomyl in *Phoma tracheiphila*. *Phytopathologia Mediterranea* **17**, 77 (abstract)



- Gisi U, Pavic L, Stanger C, Hugelshofer U, Sierotzki H (2005). Dynamics of *Mycosphaerella graminicola* populations in response to selection by different fungicides. . In: *Modern Fungicides and Antifungal Compounds IV*. BCPC, Al;ton, UK pp. 89-102
- Gisi U, Sierotzki H, Cook A, McCaffery A (2002). Mechanisms influencing the evolution of resistance to Qo inhibitor fungicides. *Pest Management Science*. **58**, 859-867
- Gisi U, Waldner M, Kraus N, Dubuis P H, Sierotzki H (2007). Inheritance of resistance to carboxylic acid amide fungicides in *Plasmopara viticola*. *Plant Pathology* **56** 199-208
- Gossen B D, Anderson K L (2004). First report of resistance to strobilurin fungicides in *Didymella rabiei*. *Canadian Journal of PLant Pathology* **26**, 411
- Goszczynski W, Cimanowski J, Bachnacki R (1988). First note on the occurrence of a strain of *Sphaerotheca mors-uvae* Schw. –Berk. with decreased ensitivity to triadimefon. *Fruit Science Reports (Skierniewice)* **15**, 181 – 184
- Goto M, Hikota T, Nakajima M, Takikawa Y, Tsuyumi S (1994). Occurrence and properties of copper resistance in plant pathogenic bacteria. *Annals of the Phytopathological Society of Japan* **60**, 147-153
- Griffee P J (1973). Resistance to benomyl and related fungicides in *Colletotrichum musae*. *Transactions of the British Mycological Society* **60**, 433 - 439
- Griffin M J, Drummond M, Yarham D J, King J E, Brown M (1982). Benzimidazole resistance in *Pseudocercospora herpotrichoides*, the cause of eyespot disease of cereals. *International Society for Plant Pathology, Chemical Control Newsletter* **1**, 7 – 8
- Griffin M, Fisher N (1985). Laboratory studies on benzimidazole resistance in *Septoria tritici*. *uelletin OEPP* **15**, 505 – 512
- Grindle M (1984). Isolation and characterisation of vinclozolin resistant mutants of *Neurospora crassa*. *Transactions of the British Mycological Society* **82**, 635-644
- Guarnaccia, Vladimiro; Aiello, Dalia; Polizzi, Giancarlo; Perrone, Giancarlo; Stea, Gaetano; Vitale, Alessandro. (2014). Emergence of prochloraz-resistant populations of *Calonectria pauciramosa* and *Calonectria polizzii* in ornamental nurseries of Southern Italy. *Plant Disease*, **98** (3), 344-350.
- Gullino M L, Mescalchin E, Mezzalama M (1997). Sensitivity to cymoxanil in populations of *Plasmopara viticola* in northern Italy. *Plant Pathology* **46**, 729-736
- Gullino M L, Gilardi G, Tinivella F, Garibaldi A (2004). Observations on the behaviour of different populations of *Plasmopara viticola* resistant to QoI fungicides in Italian vineyards. *Phytopathologia Mediterranea* **43**, 341-350
- Gutierrez-Alonso J G, Gutierrez-Alonso O, Nieto-Angel D, Teliz-Ortiz D, Zavaleta-Mejia E, Delgadillo-Sanchez F, Vaquera-Huerta H (2003). Evaluation of resistance to imazalil, prochloraz, and azoxystrobin of *Colletotrichum gloeosporioides* (penz.) Penz. y Sacc. isolates and control of Mango (*Mangifera indica* L.) anthracnosis during postharvest. *Revista Mexicana de Fitopatologia* **21**, 379 - 382

## H

- Hanson L E, Schwager S J, Loria R (1996). Sensitivity to thiabendazolwe in *Fusarium* species associated with dry rot in potatoes. *Phytopathology* **86**, 378-384

- Harrison J G (1984). *Botrytis cinerea* as an important cause of chocolate spot in field beans. *Transactions of the British Mycological Society* **83**, 631-638
- Hartill W F T, Tompkins G R, Kleinshaw P J (1983). Development in New Zealand of resistance to dicarboximide fungicides in *Botrytis cinerea* to acylalanines in *Phytophthora infestans* and to guazatine in *Penicillium italicum*. *New Zealand Journal of Agricultural Research* **26**, 261 – 270
- Hasti A C, Georgopoulos S G (1971). Mutational resistance to fungitoxic benzimidazole derivatives in *Aspergillus nidulans*. *Journal of General Microbiology* **65**, 371-374
- Hayes, L. E.; Zala, M.; Anderson, N. P.; Sackett, K. E.; Flowers, M.; McDonald, B. A.; Mundt, C. C. (2013). First report of resistance to QoI fungicides in North American populations of *Zymoseptoria tritici*, causal agent of septoria tritici blotch of wheat. *Plant Disease*, **97**, Number 11, 1511 p.
- Heaney S P, Hall A A, Davies S A, Olaya G (2000). Resistance to fungicides in the QoI-STAR cross resistance group: current perspectives. *Proceedings of the BCPC Conference – Pests & Diseases* 755 - 762
- Henry M J, Trivellas A E (1989). Laboratory induced fungicide resistance to benzimidazole and azole fungicides in *Cercospora beticola*. *Pesticide Biochemistry and Physiology* **35**, 89 – 96
- Herbert J A, Grech N M (1985). A strain of *Guignardia citricarpa*, the citrus black spot pathogen, resistant to benomyl in South Africa. *Plant Disease* **69**, 1007 (abstract)
- HGCA (2005). Wheat Disease Management Guide – 2005 Update. Home Grown Cereals Authority, London UK
- Hill S N, Hausbeck M K (2008). Virulence and fungicide sensitivity of *Phytophthora cactorum* isolated from American ginseng gardens in Wisconsin and Michigan. *Plant Disease* **92**, 1183-1189
- Hippe S, Koller W (1986). Ultrastructure and sterol composition of laboratory strains of *Ustilago avenae* resistant to triazole fungicides. *Pesticide Biochemistry and Physiology* **26**, 209-219
- Hollomon D W (1978). Competitive ability and ethirimol sensitivity in strains of barley powdery mildew. *Annals of Applied Biology* **90**, 195-204
- Hollomon D W, Wheeler I, Dixon K, Longhurst C, Skylakakis G (1997). Defining the resistance risk of the new powdery mildew fungicide quinoxifen. *Pesticide Science* **51**, 347-351
- Holz B (1979). Über eine resistenzercheinung von *Botrytis cinerea* an Reben gegen die neuen Kontaktbotrytizide im Gebiet der Mittelmosel. *Weinberg und Keller* **26**, 18 – 25
- Hori M, Kakiki K, Misato T (1976). Mechanism of polyoxin resistance in *Alternaria kikuchiana*. *Journal of Pesticide Science* **1**, 31-40
- Hosokawa H., Yamanaka H., Haramoto M, Sano S, Yokota C, Hamamura H. (2006), Occurrence and biological properties of cyflufenamid-resistant *Sphaerotheca cucurbitae*. *Japanese Journal of Phytopathology* **72**: 260-261 (Japanese abstr.).
- Hsiang T, Chastagner G A (1990). Parasitic fitness of benzimidazole and dicarboximide resistant isolates of *Botrytis cinerea* *Botrytis elliptica* and *Botrytis tulipae*. *Phytopathology* **80**, 978

- Hu J H, Hong C X, Stomberg E L, Moorman G W (2008). Mefenoxam sensitivity and fitness analysis of *Phytophthora nicotianae* isolates from nurseries in Virginia USA. *Plant Pathology* **57**, 728-736
- Hu, M. J.; Gao, Z. Y.; Zhang, Z. K.; Yang, F. Z.; Li, M.; Editor(s): Lu, P. (2013). Resistance of *Botryodiplodia theobromae* to carbendazim and the fungicides screening for mango stem end rot control. *Acta Horticulturae*, Number **992**,. 407-414
- Hu, M. J.; Ma, Q. Y.; Li, K. B.; Lin, Y.; Luo, C. X. (2014). Exploring mechanism of resistance to isoprothiolane in *Magnaporthe oryzae*, the causal agent of rice blast. *Journal of Plant Pathology* **96**, Number 2, 249-259
- Huang DaYe; Shi YanXia; Xie XueWen; Wang WeiPing; Li BaoJu. (2013) Sensitivity of *Corynespora cassiicola* to carbendazim and diethofencarb. *Journal of Pure and Applied Microbiology*, **7**, Number 2, 891-898
- Hubbard J C, Subbarao, Koike S T (1997). Development and significance of dicarboximide resistance in *Sclerotinia minor* isolates from commercial lettuce fields in California. *Plant Disease* **81**, 148-153
- Hunter T, Jordan V W, Kendall S J (1986). Fungicide sensitivity changes in *Rhynchosporium secalis* in glasshouse experiments. *Proceedings of the British Crop Protection Conference, Pests & Diseases* 523 – 536
- Hutton D G (1988). The appearance of dicarboximide resistance in *Alternaria alternata* in passionfruit in South-East Queensland Australia. *Australasian Plant Pathology* **17**, 34-36
- Hwang B K, Yun J H (1986). Variability in sensitivity to polyoxin B of isolates of *Alternaria mali* and decreased fitness of polyoxin resistant isolates. *Journal of Phytopathology* **115**, 305-312

## I

- Ieki H (1994). Emergence of benzimidazole resistant strains of *Elsinoe fawcetti* Jenkins in citrus orchards in Japan. *Annals of the Phytopathological Society of Japan* **60**, 501 – 506
- Iida W (1975). On the tolerance of plant pathogenic fungi and bacteria to fungicides in Japan. *Japanese Pesticide Information* **23**, 13-16
- Ilott T W, Ingram D S, Rawlinson C J (1987). Studies of fungicide resistance in *Pyrenopeziza brassicae* cause of light leaf spot disease of oilseed rape and other brassicas. *Transactions of the British Mycological Society* **88**, 515-523
- Ishii H (2004). Fungicide resistance: a factor limiting integrated disease control. *Proceedings of the 15<sup>th</sup>. International Plant Protection Congress* Ed. Guo Yu-yuan. p. 216
- Ishii H, Yamaguchi A (1981). Resistance of *Venturia nashicola* to thiophanate-methyl and bonomyl existence of weakly resistant isolates and its practical significance. *Annals of the Phytopathological Society of Japan* **4**, 528 – 533
- Ishii H, Fraaije B A, Sugiyama T, Noguchi K, Nishimura K, Takeda T, Amano T, Hollomon D W (2001). Occurrence and molecular characteristics of strobilurin resistance in cucumber powdery mildew and downy mildew. *Phytopathology* **91**, 1166-1171
- Ishii H, Noguchi K, Tomita Y, Umemoto S, Nishimura K (1999). Occurrence of strobilurin resistance in powdery mildew and downy mildew on cucumbers. . *Annals of the Phytopathological Society of Japan* **65**, 655

- Ishii, H., Fountaine J., Miyamoto, T., Nishimura, K. and Tomita, Y. (2007), Occurrence of a mutation in the succinate dehydrogenase gene found in some isolates of cucumber *Corynespora* leaf spot fungus resistant to boscalid. *Japanese Journal of Phytopathology* **74**: in press (Japanese abstr.).
- Ishii H (2008). Fungicide research in Japan, an overview. *In: Modern Fungicides and Antifungal Compounds IV. Proceedings of the 15<sup>th</sup> International Reinhardtsbrunn Symposium.* Eds. Dehne H-W, Gisi U, Kuck K-h, Russell P E, Lyr H. (in press)
- Ito I, Yamaguchi T (1977). Occurrence of kasugamycin resistant rice blast fungus influenced by the application of fungicides. *Annals of the Phytopathological Society of Japan* **43**, 301-303
- Ito Y, Maraguchi H, Seshime Y, Oita S, Yanagi S O (2004). Flutolanil and carboxin resistance in *Coprinus cinereus* conferred by a mutation in the cytochrome b560 subunit of succinate dehydrogenase complex (Complex II). *Molecular Genetics and Genomics* **272**, 328 – 335

## J

- Jarvis W R, Hargreaves A J (1973). Tolerance to benomyl in *Botrytis cinerea* and *Penicillium corymbiferum*. *Plant Pathology* **22**, 139-141
- Jarvis W R, Slingsby K (1975). Tolerance of *Botrytis cinerea* and rose powdery mildew to benomyl. *Canadian Plant Disease Survey* **55**, 44
- Jones A L, Ehret G R (1976). Isolation and characterisation of benomyl tolerant strains of *Monilinia fructicola*. *Plant Disease Reporter* **60**, 765 – 769
- Jones A L, Ehret G R (1981). Resistance of *Coccomyces hiemalis* to benzimidazole fungicides. *Plant Disease* **64**, 767 – 769
- Jones W B, Thompson S V (1982). The effects of fungicide treatments on yield and quality of tomato plants infected with *Leveillula taurica*. *Phytopathology* **72**, 970 (abstract)
- Joseph M C, Coffey M D (1984). Development of laboratory resistance to metalaxyl in *Phytophthora citricola*. *Phytopathology* **74**, 1411 – 1414
- Joseph-Horne T, Hollomon D W, Heppner C (2000). Silthiofam interferes with mitochondrial function in ‘take-all’ disease of wheat. *Proceedings of the Brighton Crop Protection Conference – Pests & Diseases* 883-888
- Joya C (1982). Identification of sigatoka pathogens and monitoring for benzimidazole resistance. *Phytopathology* **72**, 453

## K

- Kalamarakis A E, De Waard M A, Ziogas B N, Georgopoulos S G (1991). Resistance to fenarimol in *Nectria haematococca* var *cucurbitae*. *Pesticide Biochemistry and Physiology* **40**, 212 – 220
- Kamble, S. V.; Jogdand, S. K.; Gangawane, L. V. (2013). Effect of passage on the development of benomyl resistance in vitro against *Fusarium udum*. *Science Research Reporter*, **3**, Number 1, 57-60
- Kanetis L, Forster H, Jones C A, Borkovich K A, Adaskaveg J E (2008). Characterization of genetic and biochemical mechanisms of fudioxonil and pyrimethanil resistance in field isolates of *Penicillium digitatum*. *Phytopathology* **98** 205-214.
- Kappas A, Georgopoulos S G (1968). Radiation induced resistance to dodine fungicide in *Hypomyces*. *Experientia (Basel)* **24**, 181 – 182

- Karaoglanidis G S, Ionnidis P M, Thanossouloupoulos CC (2000). Reduced sensitivity of *Cercospora beticola* isolates to sterol demethylation inhibiting fungicides. *Plant Pathology* **49**, 567 – 572
- Katan T, Shabi E (1981). REsistance to dicarboximide fungicides in laboratory isolates of *Monilinia laxa*. *Phytoparasitica* **9**, 231-232
- Katan T, Dunn M T, Papavizas G C (1984). Genetics of fungal resistance in *Talaromyces flavus*. *Canadian Journal of Microbiology* **30**, 1079-1087
- Katan T, Elad Y, Yunis H (1989). Resistance to diethofencarb NPC in benomyl resistant field isolates of *Botrytis cinerea*. *Plant Pathology* **38**, 86-92
- Kato T, Suzuki K, Takahashi J, Kamoshita K (1984). Negatively correlated cross resistance between benzimidazole fungicides and methyl N-(3, 5-dichlorophenyl) carbamate. *Journal of Pesticide Science* **9**, 489-495
- Kendall S J, Hollomon D W (1990). DMI resistance and sterol 14-alpha demethylation in *Rhynchosporium secalis*. *Proceedings of the British Crop Protection Conference Pests & Diseases* 1129-1134
- Kendall S J, Hollomon D W, Cooke L R, Jones D R (1993). Changes in sensitivity to DMI fungicides in *Rhynchosporium secalis*. *Crop Protection* **12**, 357 – 362
- Keon J P R, White G A, Hargreaves J A (1991). Isolation, characterization and sequence of a gene conferring resistance to the systemic fungicide carboxin from the maize smut pathogen, *Ustilago maydis*. *Current Genetics* **19**, 475-481
- Khilare V C, Deokate A S, Ganawane L V (2003). Occurrence of aluminium phosethyle (allitte) resistance in *Plasmopara viticola* causing downy mildew of grapevine in Maharashtra. *Journal of Phytochemical Research* **16**, 239 – 241
- Kiebacher H, Hoffmann G M (1976). Benzimidazole resistance in *Venturia inaequalis*. *Zeitschrift fuer Pflanzenkrankheiten und Pflanzenschutz* **83**, 352 – 358
- Kikuhara, K.; Watanabe, H.; Takemoto, H. (2014). Occurrence of QoI-resistant field isolates of *Pseudocercospora vitis*, the casual agent of grapevine leaf blight, in Fukuoka Prefecture and improvement of a sensitivity assay for QoI fungicides. *Japanese Journal of Phytopathology*, **80**, Number 3, 162-170
- Kim Y-S, Dixon E W, Vincelli P, Farman M L (2003). Field resistance to strobilurin (QoI) fungicides in *Pyricularia grisea* caused by mutations in the mitochondrial cytochrome b gene. *Phytopathology* **93**, 891-900
- Kleitman F, Shtienberg D, Blachinsky D, Oppenheim D, Zilberstaine M, Dror O, Manulis S (2005). *Erwinia amylovora* populations resistant to oxolinic acid in Israel: prevalence, persistence and fitness. *Plant Pathology* **54**, 108-115
- Klosowski, A C; De Mio, L L M; Miessner, S; Rodrigues, R; Gerd Stammler, G (2015). Detection of the F129L mutation in the cytochrome b gene in *Phakopsora pachyrhizi*. *Pest Management Science*, article first published online: 28 SEP 2015: <http://onlinelibrary.wiley.com/doi/10.1002/ps.4099/abstract>
- Köller W, Smith F D, Reynolds K L (1991). Phenotypic instability of flusilazole sensitivity in *Venturia inaequalis*. *Plant Pathology* **40**, 608 – 611
- Kousik C S, Keinath A P (2008). First report of insensitivity to cyazofamid among isolates of *Phytophthora capsici* from the southeastern United States. *Plant Disease* **92**, 979

## L

- Lacy G H, Stromberg V K, Cannon N P (1984). *Erwinia amylovora* mutants and *in planta* derived trans conjugants resistant to oxytetracycline. *Canadian Journal of Plant Pathology* **6**, 33-39
- Lambert D H, Wuest P J (1973). Tolerance of *Verticillium malthousii* isolates to benomyl in relation to linear growth, geographical origin, spray volume or zineb tolerance. *Phytopathology* **63**, 203 (abstract).
- Lambert D H, Salas B (1994). Metalaxyl insensitivity of *Phytophthora erythroseptica* isolates causing pink rot of potato in Maine. *Plant Disease* **78**, 1010
- Lambooy J S, Paxton J D (1992). Metalaxyl sensitivity selection within *Phytophthora megasperma* fsp. *glycinea*. *Plant Disease* **76**, 932 – 936
- Langston D (2002). Quadris resistance in Gummy Stem Blight confirmed. *Georgia Extension Vegetable News*. **2**, 1
- Lasseron-De Falandre A, Debieu D, Bach J, Malosse C, Leroux P (1999). Mechanisms of resistance to fenpropimorph and terbinafine, two sterol biosynthesis inhibitors, in *Nectria haematococca*, a phytopathogenic fungus. *Pesticide Biochemistry and Physiology* **64**, 167-184
- Lei Chen, Shusheng Zhu, Xiaohong Lu, Zhili Pang, Meng Cai, Xili Liu (2012). Assessing the risk that *Phytophthora melonis* can develop a point mutation (V1109L) in CesA3 conferring resistance to carboxylic acid amide fungicides. *Plos One* **7** (7), e42069
- Leroux P, Lafon R, Gredt M (1982). Resistance of *Botrytis cinerea* to benzimidazole and dicarboximide fungicides situation in Alsace Bordeaux and Champagne vineyards France. *Bulletin OEPP* **12**, 137 - 144
- Leroux P, Clerjeau M (1985). Resistance of *Botrytis cinerea* and *Plasmopara viticola* to fungicides in French vineyards. *Crop Protection* **4**, 137 – 160
- Leroux P, Berthier G (1988). Resistance to carboxin and fenfuram in *Ustilago nuda* Jens. Rostr. the causal agent of barley loose smut. *Crop Protection* **7**, 16-19
- Leroux P, Marchegay P (1991). Caractérisation des souches de *Pseudocercospora herpotrichoides* agent du Piétin-verse des céréales, résistantes au prochloraze, isolées en France sur blé tendre d'hiver. *Agronomie* **11**, 767 – 776
- Li H X, Xiao C L (2008). Characterization of fludioxonil resistant and pyrimethanil resistant phenotypes of *Penicillium expansum* from apple. *Phytopathology* **98**, 427-435
- Li H, Leifert C (1994). Development of resistance in *Botryotinia fuckeliana* (de Barry) Whetzel against the biological control agent *Bacillus subtilis* CL27. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz* **101**, 414-8.
- Li Xingpeng; Fernandez-Ortuno Dolores; Grabke Anja; Schnabel Guido (2014). Resistance to fludioxonil in *Botrytis cinerea* isolates from blackberry and strawberry. *Phytopathology*, **104**, No. 7, 724-32
- Littrell R H (1974). Tolerance in *Cercospora arachidicola* to benomyl and related fungicides. *Phytopathology* **64**, 1377 - 1378
- Littrell R H (1977) Population dynamics and control of benomyl tolerant and sensitive pecan scab strains. *Proceedings of the American Phytopathological Society* **3**, 1976
- Liu X, Yin Y N, Wu J B, Jiang J H, Ma Z H (2010). Identification and Characterization of Carbendazim-Resistant Isolates of *Gibberella zeae* *Plant Disease* **94**, 1137-1142

- Liu Ye; Liu ZunYong; Hamada, M. S.; Yin, Y. N.; Ma, Z. H.; Liu, Y; Liu, Z. Y. (2014). Characterization of laboratory pyrimethanil-resistant mutants of *Aspergillus flavus* from groundnut in China. *Crop Protection*, **60**, 5-8
- Locke T, Thorpe I G (1976). Benomyl tolerance in *Verticillium dahliae* Kleb. *Plant Pathology* **25**, 59
- Locke T, Scrace J, Peace J M (1997). Resistance of *Phytophthora porri* to metalaxyl. *Pesticide Science* **51**, 371 – 374
- Lu Y L, Sutton T B, Ypema H (2003). Sensitivity of *Alternaria mali* from north Carolina apple orchards to pyraclostrobin and boscalid. *Phytopathology* **93**, S54 (Abstract)
- Lu X H, Zhu S S, Bi Y, Liu X L, Hao J J (2010). Baseline sensitivity and resistance risk assessment of *Phytophthora capsici* to iprovalicarb. *Phytopathology*, **100**, 1162-1168
- Luo, Y.; Hou, L.; Foerster, H.; Adaskaveg, J. E. (2013). QoI resistance in *Fusicladium carpophilum* populations from almond in California and evaluation of molecular resistance mechanisms. *Plant Disease*, **97**, Number 10, 1322-1330
- Lucas J A, Bower L A, Coffey M D (1990). Fungicide resistance in soil-borne *Phytophthora* species. *EPPO Bulletin* **20**, 199-206

## M

- Ma B, Uddin W (2009). Fitness and competitive ability of an azoxystrobin resistant G143A mutant of *Magnaporthe oryzae* from perennial ryegrass. *Plant Disease* **93** 1044-1049
- Ma, B. Y.; Tredway, L. P. (2013). Induced overexpression of cytochrome P450 sterol 14 $\alpha$ -demethylase gene (CYP51) correlates with sensitivity to demethylation inhibitors (DMIs) in *Sclerotinia homoeocarpa*. *Pest Management Science* (2013), **69**, Number 12, 1369-1378
- Ma, Z, Michailides T J (2004). Characterization of iprodione-resistant *Alternaria* isolates from pistachio in California. *Pesticide Biochemistry and Physiology* **80**, 75 – 84
- Ma Z, Felts D, Michailides T J (2003). Resistance to azoxystrobin in *Alternaria* isolates from pistachio in California. *Pesticide Biochemistry and Physiology* **77**, 66 - 74
- Ma Z, Luo Y, Michailides T J (2001). Resistance of *Botryosphaeria dothidea* from pistachio to iprodione. *Plant Disease* **85**, 183-188
- Magie R O, Wilfret G J (1974). Tolerance of *Fusarium oxysporum* f sp. *gladioli* to benzimidazole fungicides. *Plant Disease Reporter* **58**, 256 – 259
- Malandrakis, A.; Koukiasas, N.; Veloukas, T.; Karaoglanidis, G; Markoglou, A. (2013). Baseline sensitivity of *Monilinia laxa* from Greece to fenhexamid and analysis of fenhexamid-resistant mutants. *Crop Protection*, **46**, 13-17
- Malathrakis N E (1989). Resistance of *Botrytis cinerea* to dichlofluanid in greenhouse vegetables. *Plant Disease* **73**, 138-141
- Malathrakis N E, Vakalounakis D J (1983). Resistance to benzimidazole fungicides in the gummy stem blight pathogen *Didymella bryoniae* on cucurbits. *Plant Pathology* **32**, 395 – 400
- Mallik I; Arabiat S; Pasche J S; Bolton M D; Patel J S; Gudmestad N C. (2014). Molecular characterization and detection of mutations associated with resistance to succinate dehydrogenase-inhibiting fungicides in *Alternaria solani*. *Phytopathology*, **104**, No. 1, 40-9
- Manish Agrawal; Sunder, S.; Agrawal, M. (2013). Variations in sensitivity of *Rhizoctonia solani* AG-1 IA isolates from rice to carbendazim and hexaconazole. *Journal of Mycology and Plant Pathology*, **43**, Number 3, 394-398

- Manulis S, Kleitman F, Shtienberg D, Shwartz H, Oppenheim D, Zilberstaine M, Shabi E (2003). Changes in the sensitivity of *Erwinia amylovora* populations to streptomycin and oxolinic acid in Israel. *Plant Disease* **87**, 650-654
- Maria R, Sullia S B (1986). Acquired resistance of *Alternaria solani* and *Sclerotium rolfsii* to polyoxin D. *Journal of Phytopathology* **116**, 60-66
- Markoglou A N, Ziogas B N (1999). Genetic control of resistance to fenpropimorph in *Ustilago maydis*. *Plant Pathology* **48**, 521-530
- Markoglou A N, Ziogas B N (2000). Genetic control of resistance to tridemorph in *Ustilago maydis*. *Phytoparasitica* **28**, 349-360
- Markoglou A N, Ziogas B N (2001). Genetic control of resistance to the piperidine fungicide fenpropidin in *Ustilago maydis*. *Journal of Phytopathology* **149**, 551-559
- Markoglou A N, Malandrakis A A, Vitoratos A G, Ziogas B N (2006). Characterization of laboratory mutants of *Botrytis cinerea* to QoI fungicides. *European Journal of Plant Pathology* **115**, 149 – 162
- Markoglou A N, Doukas E G, Ziogas B N (2008). Phenylpyrrole resistance and aflatoxin production in *Aspergillus parasiticus* Speare. *International Journal of Food Microbiology* **127** 268-275
- Martin S B, Lucas L T, Campbell CL (1984). Comparative sensitivity of *Rhizoctonia solani* and *Rhizoctonia* like fungi to selected fungicides in vitro. *Phytopathology* **74**, 778 – 781
- Matsuzaki M, Azegami K, Chata K-I (1981). Streptomycin resistance in pathogenic bacteria isolated from diseased lettuce. *Annals of the Phytopathological Society of Japan* **47**, 297-300
- Mavroedi V I, Shaw M W (2005). Sensitivity distributions and cross resistance patterns of *Mycosphaerella graminicola* to fluquinconazole, prochloraz and azoxystrobin over a period of 9 years. *Crop Protection* **24**, 259-266
- McKay G J, Egan D, Morris E, Brown A E (1998). Identification of benzimidazole resistance in *Cladobotryum dendroides* using a PCR-based method. *Mycological Research* **102**, 671 – 676
- McGrath M T, Shishkoff N (2003a). Resistance to strobilurin fungicides in *Podosphaera xanthii* associated with reduced control of cucurbit powdery mildew in a research field. *Phytopathology* **93**, S59
- McGrath M T, Shishkoff N (2003b). First report of the cucurbit powdery mildew fungus (*Podosphaera xanthii*) resistant to strobilurin fungicides in the United States. *Plant Disease* **87**, 1007
- McHugh J B, Schreiber J R (1984). Tolerance of *Verticillium dahliae* to benzimidazoles. *Plant Disease* **68**, 424 – 427
- Mehrpour, M.; Goltapeh, E. M.; Safaei, N. (2013). Resistance of Iranian *Lecanicillium fungicola* to benzimidazole and ergosterol demethylation inhibiting fungicides. *Journal of Agricultural Science and Technology*, **15**, Number 2, 389-395
- Meissner S, Stammler G. (2010). *Monilinia laxa*, *M. fructigena* and *M. fructicola*: Risk estimation of resistance to QoI fungicides and identification of species with cytochrome b gene sequences. *Journal of Plant Diseases and Protection*. **117**, 162-167
- Metcalf R J, Shaw M W, Russell P E (2000). The effect of dose and mobility on the strength of selection for DMI fungicide resistance in inoculated field experiments. *Plant Pathology* **49**, 546-557
- Meyer E (1976). Resistance development against systemic fungicides benzimidazole derivatives in *Colletorichum lindemuthianum*. *Mitteilungen aus der Biologischen Bundesanstalt für Land- und Forstwirtschaft* (**166**), 7 – 135



- Miao V, Higgins V J (1986). Detection of induced susceptibility in tomato using mutants of *Cladosporium fulvum* tolerant to cycloheximide or benomyl. *Canadian Journal of Botany* **64**, 1299-1305
- Miles, T. D.; Miles, L. A.; Fairchild, K. L.; Wharton, P. S. (2014). Screening and characterization of resistance to succinate dehydrogenase inhibitors in *Alternaria solani*. *Plant Pathology*, **63** (1), 155-164
- Miller T C, Gubler W D (2003). *Uncinula necator* retains high resistance levels to triadimefon in a survey of California populations despite product absence for fourteen years. *Phytopathology* **93**, S113
- Minsavage G V, Cantero B I, Stall R E (1990). Plasmid mediated resistance to streptomycin in *Xanthomonas campestris* pv. *vesicatoria*. *Phytopathology* **80**, 719-723
- Miyamoto T., Ishii H., Seko T., Tomita Y., Kobori S. Ogawara T. (2007). Occurrence of boscalid-resistant isolates of cucumber *Corynespora* leaf spot fungus (*C. cassiicola*). *Japanese Journal of Phytopathology* **74**: in press (Japanese abstr.).
- Miyamoto T, Ishii H, Seko T, Kobori S, Tomita Y. (2009). Occurrence of *Corynespora cassiicola* isolates resistant to boscalid on cucumber in Ibaraki prefecture, Japan. *Plant Pathology* **58**, 1144-1151
- Miyamoto T, Ishii H, Tomita Y (2010a). Occurrence of boscalid resistance in cucumber powdery mildew in Japan and molecular characterization of the iron-sulfur protein of succinate dehydrogenase of the causal fungus. *Journal of General Plant Pathology* **76**, 261-267
- Miyamoto T, Ishii H, Stammler G, Koch A, Ogawara T, Tomita Y, Fountaine J M, Ushio S, Seko T, Kobori S. (2010b). Distribution and molecular characterisation of *Corynespora cassiicola* isolates resistant to boscalid. *Plant Pathology* **59**, 873-881
- Molinero V, Leroux P, Tivoli B, Champion R, Said J (1993). Resistance to benzimidazole fungicides in pathogens of Ascochta diseases of peas. *Seed Science and Technology* **21**, 531 – 535
- Moller W J, Beutel J A, Reil W O, Zoller B G (1972). Fire blight resistance to streptomycin in California. *Phytopathology* **62**, 779
- Mondal S N, da Silva A G, Dewdney M M (2009). Resistance to strobilurin fungicides in a population of *Alternaria alternata* causing *Alternaria* brown spot of citrus. APS Meeting, S88
- Moorman G W, Arora N, Kim S H (2002). Propamocarb resistance in species of *Pythium*. *Phytopathology* **92**, S58 (meeting abstract)
- Moorman G W, Kang S, Geiser D M, Kim S H (2002). Identification and characterisation of *Pythium* species associated with greenhouse floral crops in Pennsylvania. *Plant Disease* **86**, 1227 – 1231
- Moorman G W, Kim S H (2004). Species of *Pythium* from greenhouses in Pennsylvania exhibit resistance to propamocarb and mefenoxam. *Plant Disease* **88**, 630-632
- Muirhead T F (1974). Resistance to benzimidazole fungicides in blue mold of citrus in Queensland. *Australian Journal of Experimental Agriculture and Animal Husbandry* **14**, 698 – 701
- Munro J M, Dolan A, Williamson B (1988). Cane spot (*Elsinoe veneta*) in red raspberry: infection periods and fungicidal control. *Plant Pathology* **37**, 390-396

N

- Nachmias A, Barash I (1976). Decreased permeability as a mechanism of resistance to methylbenzimidazol-2-yl carbamate in *Sporobolomyces roseus*. *Journal of General Microbiology* **94**, 167 – 172
- Naegler M, Diaconu V, Alexandria A A (1977). The resistance of powdery mildew vine *Uncinula necator* and powdery mildew cucumbers *Sphaerotheca fuliginea* to benzimidazole systemic fungicides. *Analele Institutului de Cercetari Pentru Protectia Plantelor* **12**, 345 – 352
- Napier B A S, Bayles R A, Stigwood P L (2000). Sensitivity of powdery mildew and yellow rust to DMI, morpholine and strobilurin fungicides in England and Scotland. *Proceedings of the BCPC Conference Pests & Diseases*, 427-434
- Noble M, Maggarvie Q D, Hams A F, Leaf L L (1966). Resistance to mercury of *Pyrenophora avenae* in Scottish seed oats. *Plant Pathology* **15**, 23-28
- Nomura H, Paik S-Y, Izuhara M, Sugiyama M (1991). Resistant mechanisms to blasticidin S in *Streptomyces lividans*. *Korean Biochemical Journal* **24**, 327-330
- Nuninger-Ney C, Schwinn F J, Staub T (1989). *In vitro* selection of sterol biosynthesis inhibitor (SBI) resistant mutants in *Monilinia fructicola* (Wint.) Honey. *Netherlands Journal of Plant Pathology* **95**, 137 – 150

## O

- O'Brien R G, Vawdrey L L, Glass R J (1988). Fungicide resistance in cucurbit powdery mildew *Sphaerotheca fuliginea* and its effect on field control. *Australian Journal of Experimental Agriculture* **28**, 417-424
- Ogawa K (1988). Damage by Bakanae disease and its chemical control. *Japanese Pesticide Information* **52**, 13-15
- Ogawa J M, Manji B T, Bose E A (1981). Detection of benomyl resistant *Monilinia laxa* on apricots. *Phytopathology* **71**, 893
- Olaya G, Cleere S, Stanger C, Burbidge J, Hall A, Windass J (2003). A novel potential target site QoI fungicide resistance mechanism in *Pythium aphanidermatum*. *Phytopathology* **93**, S67
- Olaya G, Holm A (2001). Sensitivity of *Didymella bryoniae* isolates to azoxystrobin. *Phytopathology* **91**, S67-S68
- Omatsu N, Tomihama T, Nonaka Y (2012). Incidence of strobilurin and benzimidazole resistant strains of *Pestalotiopsis longiseta*, causal agent of gray blight, and practical control in tea field of Kagoshima Prefecture. *Japanese Journal of Phytopathology*, **78**, 3-9
- Orth A B, Sfarra A, Pell E J, Tien M (1994). Characterization and genetic analysis of laboratory mutants of *Ustilago maydis* resistant to dicarboximide and aromatic hydrocarbon fungicides. *Phytopathology* **84**, 1210-1214
- Ostrander, J. C.; Todd, R. B.; Kennelly, M. M (2014). Resistance of Kansas *Sclerotinia homoeocarpa* isolates to thiophanate-methyl and determination of associated  $\beta$ -tubulin mutation. *Plant Health Progress*, **15**, 23-27
- Outwater, C. A.; Sundin, G. W.; Proffer, T. J (2013). Detection of boscalid resistance and the H272R mutation in the SdhB gene of *Blumeriella jaapii*. *Phytopathology*, 103, No. 6, Suppl. 2, 191

## P

- Pang ZhiLi; Shao JingPeng; Chen Lei; Lu XiaoHong; Hu Jian; Qin ZhaoHai; Liu Xili; (2013). Resistance to the novel fungicide pyrimorph in *Phytophthora capsici*: risk assessment and detection of point mutations in Cesa3 that confer resistance. PLoS ONE **8**, Number 2, e56513 p
- Pasche J S & Gudmestad N C (2008). Prevalence, competitive fitness and impact of the F129L mutation in *Alternaria solani* from the United States. *Crop Protection* **27**, 427-435
- Pasche J S, Piche L M, Gudmestad N C (2005). Effect of the F129L mutation in *Alternaria solani* on fungicides affecting mitochondrial respiration. *Plant Disease* **89**, 269-278
- Pasche J S, Wharam C M, Gudmestad N C (2004). Shift in sensitivity of *Alternaria solani* to QoI fungicides. *Plant Disease* **88**, 181 – 187
- Pasche J S, Wharam C M, Gudmestad N C (2002). Shift in sensitivity of *Alternaria solani* (potato early blight) to strobilurin fungicides. *Proceedings of the BCPC Conference Pests & Diseases* 841-846
- Paulus A O, Nelson J, Besemer S (1976). Resistance of *Septoria leucanthemi* to benzimidazole fungicides. *Plant Disease Reporter* **60**, 695 - 697
- Pearson R C (1980). Occurrence of benomyl resistant strains of *Uncinula necator* on grapes in New York USA. *Phytopathology* **70**, 467
- Pearson R C, Taschenberg E F (1980). Benomyl resistant strains of *Uncinula necator* on grapes. *Plant Disease* **64**, 677 – 680
- Pennucci A, Beever R E, Laracy E P (1990). Dicarboximide resistant strains of *Microdochium nivale* in New Zealand. *Australasian Plant Pathology* **19**, 38-41
- Penrose L J, Koffmann W, Nicholls M R (1985). Field occurrence of vinclozolin resistance in *Monilinia fructicola*. *Plant Pathology* **34**, 228-234
- Peters R D, Platt H W, Drake K A, Coffin R H, Moorehead S, Clark M M, Al-Mughrabi K I, Howard R J (2008). First report of fludioxonil resistant isolates of *Fusarium* spp. causing potato seed-piece decay. *Plant Disease* **92**, 172
- Plumbley R A, Hernandez M A, Thompson A K (1984). Benomyl tolerance in a strain of *Penicillium sclerotigenum* infecting yams and the use of imazalil as a means of control. *Tropical Agriculture* **61**, 182-185
- Porter L D, Miller J S, Hamm P B, David N L, Gieck S L, Miller J S, Gunderson B, Inglis D A. (2009) Metalaxyl-M resistant *Pythium* species in potato production areas of the Pacific Northwest of the USA. *American Journal of Potato Research* **86** 315-326
- Presly A H, Maude R B (1982). Tolerance in *Botrytis squamosa* to iprodione. *Annals of Applied Biology* **100**, 117-127
- Prest G de, Poppe J (1988). Efficacy of fungicides against *Cylindrocladium scoparium* and their influence on Azalea cuttings. *Meded. Fac. Landbouwwet. Rijksuniv. Gent* **53**, 643-650
- Price P P III, Purvis M A, Cai G, Pagett G B, Robertson, C L, Schneider R W and Albu S (2015). Fungicide resistance in *Cercospora kikuchii*, a soybean pathogen. *Plant Dis.* 99: 1596-1603.
- Proffer T J, Berardi R, Ma Z, Nugent J E, Ehret G R, McManus P S, Jones A L, Sundin G W (2006). Occurrence, distribution, and polymerase chain reaction-based detection of resistance to sterol demethylation inhibitor fungicides in populations of *Blumeriella jaapii* in Michigan. *Phytopathology* **96**, 709 – 717

## QR

- Reddy K P, Anilkumar T B (1989). Resistance development to mancozeb in *Helminthosporium halodes*. *Mysore Journal of Agricultural Sciences* **23**, 184-188
- Redi H, Steinkellner S (1996). Proof of sensitivity reduction with oidium towards DMI fungicides in Austrian viticulture. *Mitteilungen Klosterneuburg* **46**, 181-188
- Reimann S, Deising H B (2005). Inhibition of efflux mediated fungicide resistance in *Pyrenophora tritici-repentis* by a derivative of 4'-hydroxyflavone and enhancement of fungicide activity. *Applied and Environmental Microbiology* **71**, 3269-3275
- Remiro D, Kimati H (1974). Resistencia a benomil e tiofanato em *Mycosphaerella fragariae* (Tul.) Lind. *Biologico* **40**, 22-24
- Reuveni M (2001). Improved control of powdery mildew (*Sphaerotheca pannosa*) of nectarines in Israel using strobilurin and polyoxin B fungicides; mixtures with sulfur; and early bloom applications. *Crop Protection* **20**, 663-668
- Reuveni M, Eyal H, Cohen Y (1980). Development of resistance to metalaxyl in *Pseudoperonospora cubensis*. *Plant Disease* **64**, 1108 – 1109
- Reynolds K L, Breneman T B, Bertrand P F (1997). Sensitivity of *Cladosporium caryigenum* to propiconazole and fenbuconazole. *Plant Disease* **81**, 163 – 166
- Richardson L T (1973). Adaptive tolerance of *Fusarium solani* to benzimidazole derivatives *in vitro*. *Canadian Journal of Botany* **51**, 1725-1732
- Rodriguez R, Melendez P L (1984). Chemical control of cowpea powdery mildew and foliar spots. *Journal of the Agricultural University P. R.* **68**, 445-455
- Romano M L, Edgington L V (1985). Resistance to metalaxyl in *Phytophthora* crown rot and root rot of African violet. *Canadian Journal of Plant Pathology* **7**, 448 – 449
- Russell P E, Gaujard C, Creange P, Daniels A (2001). Aspects of take-all control by fluquinconazole. *In: Modern Fungicides and Antifungal Compounds III*. Eds. H-W Dehne, U Gisi, K-H Kuck, P E Russell, H Lyr. AgroConcept GmbH, Bonn. pp. 91-102

## S

- Saito S, Cadie-Davidson L, Wilcox W F (2011). Practical resistance to fenhexamid *Botrytis cinerea* isolates from grapevines in New York. *Phytopathology*, **101**, S158
- Sakurai H, Naito H (1976). A cross resistance of *Pyricularia oryzae* to kasugamycin and blasticidin S. *Journal of Antibiotics (Tokyo)* **29**, 1341-1342
- Sakurai H, Kwano M, Goh N, Yaoita T, Aoyaki K, Naito H (1977). Sensitivity distribution of physiologic races of *Pyricularia oryzae* to kasugamycin. *Journal of Antibiotics (Tokyo)* **30**, 607-609
- Samuels G J, Johnston P R (1980) Benomyl and the Verticillium diseases of cultivated mushrooms. *New Zealand Journal of Agricultural Research* **23**, 155 - 157
- Sanders P L, Soika M D (1988). Metalaxyl resistance frequency in overwintering populations of *Pythium aphanidermatum* from metalaxyl control failure sites. *Phytopathology* **78**, 1510

- Sanders P L, Coffey M D, Greer G D, Soika M D (1990). Laboratory induced resistance to fosetyl aluminium in a metalaxyl resistant field isolate of *Pythium apahanidermatum*. *Plant Disease* **74**, 690-692
- Saniewska A (1985). Red staining of Narcissi leaves. *Ochr. Rosl.* **29**, 19-20
- Sawada H, Sugihara M, Takagaki M, Nagayama K (2004). *Pest Management Science* **60**, 777-785
- Schabi E, Ben-Yephet Y (1976). Tolerance of *Venturia pirina* to benzimidazole fungicides. *Plant Disease Reporter* **60**, 451 – 454
- Schepers H T A M (1983). Decreased sensitivity of *Sphaerotheca fuliginea* to fungicides which inhibit ergosterol biosynthesis. *Netherlands Journal of Plant Pathology* **89**, 185 – 187
- Schepers H T A M (1984). Persistence of resistance to fungicides in *Sphaerotheca fuliginea*. *Netherlands Journal of PLant Pathology* **90**, 165-171
- Schepers H T A M (1985a). Development and persistence of resistance to fungicides in *Sphaerotheca fuliginea* in cucumbers in the Netherlands. *Doktorthesis Proefschrift van de Landbouwhogeschool te Wageningen*
- Schepers H T A M (1985b). Changes during a three year period in the sensitivity to ergosterol biosynthesis inhibitors of *Sphaerotheca fuliginea* in the Netherlands. *Netherlands Journal of Plant Pathology* **91**, 105 – 118
- Schmitz, Helena K.; Medeiros, Carlos-Antonio; Craig, Ian R.; Stammler, Gerd. (2014). Sensitivity of *Phakopsora pachyrhizi* towards quinone- outside-inhibitors and demethylation-inhibitors, and corresponding resistance mechanisms. *Pest Management Science*, 70 (3), 378-388
- Schroedder W T, Providenti R (1969). Resistance to benomyl in powdery mildew in cucurbits. *Plant Disease Reporter* **53**, 271 – 275
- Schroth M N, Thomson S V, Moller W J (1979). Streptomycin resistance in *Erwinia amylovora*. *Phytopathology* **69**, 565-568
- Semar M, Strobel D, Koch A, Klappach K, Stammler G. (2007). Field efficacy of pyraclostrobin against populations of *Pyrenophora teres* containing the F129L mutation in the cytochrome b gene. *Journal of Plant Diseases and Protection* **114** 117-119
- Seppanen E (1983). Different tolerances of 14 *Fusarium* spp. to thiophanate-methyl. *Annales Agriculturae Fenniae* **22**, 120-121
- Sergeva V, Nair N G, Verdana J R, Shen C, Barchia I, Spooner-Hart R (2002). First report of anilinopyrimidine resistant phenotypes in *Botrytis cinerea* on grapevines in Australia. *Australasian Plant Pathology* **31**, 299-300
- Serrhini N, Maraite M, Meyer J A (1985). *In-vitro* selection of strains of *Phytophthora citrophthora* resistant to metalaxyl. *Bulletin OEPP* **15**, 443 - 450
- Sheridan J E, Grbavac N, Sheridan M H (1985). Triadimenol insensitivity in *Pyrenophora teres*. *Transactions of the British Mycological Society* **85**, 338 – 341
- Shim J-Y, Choi H-T, Yoon K-S (1994). Cell biological changes of validamycin resistant strain in *Coprinus cinereus*. *Korean Journal of Mycology* **22**, 31-35
- Shew H D (1985). Response of *Phytophthora parasitica* var *nicotianae* to metalaxyl exposure. *Plant Disease* **69**, 559 – 562
- Shim M-Y, Starr J L, Neller K P, Woodard K E, Lee TA Jr. (1998). Distribution of isolates of *Sclerotium rolfsii* tolerant to pentachloronitrobenzene in Texas peanut fields. *Plant Disease* **82**, 103-106

- Shima, Y., Ito, Y., Kaneko, S., Hatabayashi, H., Watanabe, Y., Adachi, Y. and Yabe, Y. (2009) Identification of three mutant loci conferring carboxin-resistance and development of a novel transformation system in *Aspergillus oryzae*. *Fungal Genetics and Biology* **46**, 67-76
- Sierotzki H, Kraus N, Assemat P, Stanger C, Cleere S, Windass J, Gisi U (2005). Evolution of resistance to QoI fungicides in *Plasmopara viticola* populations in Europe. *In: Modern Fungicides and Antifungal Compounds IV*. Eds. H-W Dehne, U Gisi, K-H Kuck, P E Russell, H Lyr. BCPC, Alton, UK pp. 73-80
- Sierotzki H, Wullschleger J, Gisi U (2000a). Point mutation in cytochrome b gene conferring resistance to strobilurin fungicides in *Erysiphe graminis* f. sp. *tritici* field isolates. *Pesticide Biochemistry and Physiology* **68**, 107-112
- Sierotzki H, Parisi S, Steinfeld U, Tenzer I, Poirey S, Gisi U (2000b). Mode of resistance to respiration inhibitors at the cytochrome bc1 enzyme complex of *Mycosphaerella fijiensis* field isolates. *Pest Management Science* **56**, 833-841
- Silva V L D, Loppes C A (1995). *Pseudomonas syringae* pv. tomato resistant to streptomycin and oxytetracycline in tomato plants treated or not with agricultural antibiotics. *Fitopatologia Brasileira* **20**, 80-84
- Sisler H D (1971). Mode of action of benzimidazole fungicides. *Proceedings of the 2<sup>nd</sup> International Congress of Pesticide Chemistry IUPAC, Tel-Aviv*, p. 323
- Sitton J W, Pierson C F (1982). Interaction and control of Alternaria stem decay and blue mold in Anjou pears. *Phytopathology* **72**, 1008 (Abstract)
- Skinner W, Bailey A, Renwick A, Keon J, Gurr S, Hargreaves J (1998). A single amino-acid substitution in the iron-sulphur protein subunit of succinate dehydrogenase determines resistance to carboxin in *Mycosphaerella graminicola*. *Current Genetics* **34**, 393-398
- Smiley R W, Howard, R J (1976). Tolerance to benzimidazole derivative fungicides by *Fusarium roseum* on Kentucky blue grass turf. *Plant Disease Reporter* **60**, 91 – 94
- Smith F D, Phipps P M, Stipes R J, Brenneman T B (1995). Significance of insensitivity of *Sclerotinia minor* to iprodione in control of Sclerotinia blight of peanut. *Plant Disease* **79**, 517-523
- Spalding D H (1982). Resistance of Mango pathogens to fungicides used to control postharvest diseases. *Plant Disease* **66**, 1185-1186
- Spolti, P.; Ponte, E. M. del; Dong, Y. H.; Cummings, J. A.; Bergstrom, G. C.; del Ponte, E. M. (2014) Triazole sensitivity in a contemporary population of *Fusarium graminearum* from New York wheat and competitiveness of a tebuconazole-resistant isolate. *Plant Disease*, Vol. 98, Number 5, pp. 607-613
- Spotts R A, Cervantes L A (1995). Copper, oxytetracycline and streptomycin resistance of *Pseudomonas syringae* pv. *syringae* strains from pear orchards in Oregon and Washington. *Plant Disease* **79**, 1132-1135
- Stammler, G., Rehfus, A., Prochnow, J., Bryson, R. and Strobel, D. (2014) New findings on the development of insensitive isolates of *Pyrenophora teres* towards SDHI fungicides. *Julius-Kühn-Archiv* **447**, 568
- Staub T, Sozzi D (1981). Résistance au métalaxyl en pratique et les conséquences pour son utilisation. *Phytiatrie – Phytopharmacie* **30**, 283 – 291

- Stanis V F, Jones A L (1985). Reduced sensitivity to sterol inhibiting fungicides in field isolates of *Venturia inaequalis*. *Phytopathology* **75**, 1098 – 1101
- Starndberg J O (1984). Efficacy of fungicides against persistence of *Alternaria dauci* on carrot seed *Daucus carota*. *Plant Disease* **68**, 39-42
- Staunton W F, Kavanagh T (1975). Resistance of fungal pathogens to benomyl in Ireland and results of alternative spray programmes for disease control. *Proceedings of the British Insecticide and Fungicide Conference* **8**, 1-4
- Steekelenburg N A M van (1973). *Ascochyia bij chrysanth*; resistent geworden tegen benomyl (Benlate). *Vakbl. Bloemistrierij* **28**, 13
- Steekelenburg N A M van (1987). Resistance to benzimidazole and dicarboximide fungicides in *Botrytis cinerea* and *Didymella bryoniae* in cucumbers in the Netherlands. *Medelingen van de Faculteit Landbouwwetenschappen Universiteit Gent* **52**, 875-880
- Stehmann C, De Waard M A (1996). Sensitivity of populations of *Botrytis cinerea* to triazoles, benomyl and vinclozolin. *European Journal of Plant Pathology* **102**, 171-180
- Stein J M, Kirk W W (2003). The generation and quantification of resistance to dimethomorph in *Phytophthora infestans*. *Plant Disease* **88**, 930 - 934
- Steinfeld U, Sierotzki H, Parisi S, Gisi U (2002). Comparison of resistance mechanisms to strobilurin fungicides in *Venturia inaequalis*. In: *Modern Fungicides and Antifungal Compounds III*. Eds. H-W DEhne, U Gisi, K-H Kuck, P E Russell, H Lyr. AgroConcept GmbH, Bonn. pp. 167-176
- Steva H, Cartolaro P, Gomes da Silva M T (1990). Tolerance of powdery mildew of SBI fungicides: situation for 1989. *Phytoma* **419**, 41 – 44
- Stevenson K L, Langston D B, Seebold K W (2002). Resistance to azoxystrobin in the gummy stem blight pathogen in Georgia. *Phytopathology* **92**, S79
- Stevenson K L, Langston D, Sanders B F (2008). Baseline sensitivity and evidence of resistance to boscalid in *Didymella bryoniae* *Phytopathology* **98**:S151
- Stover R H (1979). Field observations on benomyl tolerance in ascospores of *Mycosphaerella fijiensis* var. *difformis*. *Transactions of the British Mycological Society* **72**, 518 – 519
- Suta V, Radulescu M (1986). Investigations on the integrated control of apple diseases in the orchards with biotypes of *Venturia inaequalis* and *Podosphaera leucotricha* (Ell et Ev. ) Salm resistant to benzimidazolyc and triforine fungicides. *Hortscience* **23**, 747 (abstract)
- Szkolnik M, Gilpatrick J D (1969). Apparent resistance of *Venturia inaequalis* to dodine in New York apple orchards. *Plant Disease Reporter* **53**, 861 - 864
- Szkolnik M, Gilpatrick J D (1971). Resistance of *Venturia inaequalis* to N dodecyl guanidine acetate. *Phytopathology* **61**, 132

## T

- Taga M, Nakagawa H, Tsuda M, Ueyama A (1979). Identification of 3 loci controlling kasugamycin resistance in *Pyricularia oryzae*. *Phytopathology* **69**, 463-466
- Takagaki M, Kaku K, Watanabe S, Kawai K, Shimizu T, Sawada H, Kumakaru K, Nagayama K (2004). Mechanism of resistance to carpropamid in *Magnaporthe grisea*. *Pest Management Science* **60**, 921-926

- Tamura O (2000). Fluazinam resistance in leguminous *Botrytis cinerea* and resistance management. *Abstracts of the 10<sup>th</sup>. Symposium of Research Committee on Fungicide Resistance* pp 7-16
- Tanaka F, Saito I, Miyajima K, Tsuchiya S, Tsuboki K (1983). Occurrence of thiophanate methyl tolerant isolates of *Fusarium nivale* synonymy *Gerlachia nivalis* a causal fungus of snow mold of winter wheat in Japan. *Annals of the Phytopathological Society of Japan* **49**, 565 – 566
- Taylor R J, Sales B, Secor G A, Rivera V, Gumestad N C (2002). Sensitivity of North American isolates of *Phytophthora erythroseptica* and *Pythium ultimum* to mefenoxam (metalaxyl). *Plant Disease* **86**, 797 – 802
- Thanassoulopoulos C C, Giannopilitis C N, Kitsos G T (1970). Evaluation of sensitiveness and development of resistance of *Fusarium oxysporum* f.sp. *lycopersici* to benomyl. *Phytopathologische Zeitschrift* **70**, 114-120
- Tivoli B, Deltour A, Molet D, Bedin P, Jouan B (1986). Isolation of thiabendazole resistant strains of *Fusarium roseum* var *sambucinum* from potato tubers. *Agronomie* **6**, 219 – 224
- Tominaga A, Kobayashi Y (1978). Kasugamycin resistant mutants of *Bacillus subtilis*. *Journal of Bacteriology* **135**, 1149-1150
- Tomita Y, Ishii H (1998). Reduced sensitivity to fenarimol in Japanese field strains of *Venturia nashicola*. *Pesticide Science* **54**, 150 – 156
- Top Agrar (2009). Online article in Top Agrar December 2009. [www.topagrar.com](http://www.topagrar.com)
- Tramier R, Bettachini A (1974). A strain of *Fusarium oxysporum* f sp. *dianthi* resistant to systemic fungicides. *Annales de Phytopathologie* **6**, 231 – 236
- Tremblay D M, Talbot B G, Carisse O (2003). Sensitivity of *Botrytis squamosa* to different classes of fungicides. *Plant Disease* **87**, 573-578

## U

- Uesugi Y (1981). Resistance to fungicides in *Pyricularia oryzae*. *Journal of pesticide Science* **6**, 239-246

## V

- Valaskova E (1983). The influence of various carbon and nitrogen sources on mycelium growth and resistance stability in a benomyl tolerant strain of *Fusarium oxysporum* f sp. *tulipae*. *Sbornik UVTIZ (Ustav Vedeckotechnickych Informaci pro Zemedelstvi) Ochrana Rostlin* **19**, 251-260
- Van Bruggen A H C, Arneson P A (1984). Resistance in *Rhizoctonia solani* to tolclfos methyl. *Netherlands Journal of Plant Pathology* **90**, 95 – 106
- Vargas J M Jr. (1973). A benzimidazole resistant strain of *Erysiphe graminis*. *Phytopathology* **63**, 1366 – 1368
- Vargas J M Jr., Golembiewski R, Detweiler A R (1992). Reduced sensitivity of *Sclerotinia homoeocarpa* to DMI fungicides. *Phytopathology* **82**, 1069
- Veeverke K (1983). Resistance of *Verticillium albo-atrum* Reinke et Bert. to benomyl and trimorfamid. *Zbl. Mikrobiol.* **138**, 565-568
- Viljanen-Rollinson S L H, Marroni M V, Butler R C (2007). Reduced sensitivity to carbendazim in isolates of *Botrytis allii*. *New Zealand Plant Protection* **60** 108-113



- Vincelli P, Dixon E (2002). Resistance to QoI (strobilurin-like) fungicides in isolates of *Pyricularia grisea* from perennial ryegrass. *Plant Disease* **86**, 235-240
- Vitale A, Aiello D, Castello I, Polizzi G (2009). First report of Benzimidazole resistant isolates of *Cylindrocladium scoparium* in Europe. *Plant Disease* **93** 110

## W

- Walker A S, Auclair C, Gredt M, Leroux P (2009). First occurrence of resistance to strobilurin fungicides in *Microdochium nivale* and *Microdochium majus* from French naturally infected wheat grains. *Pest Management Science* **65** 906-915
- Walsh R C, Sisler H D (1981). Cross resistance patterns of fenarimol resistant isolates of *Ustilago maydis*. *Phytopathology* **71**, 771 – 772
- Walter, M.; Stevenson, O. D.; Amponsah, N. T.; Scheper, R. W. A.; McLachlan, A. R. G. (2014). Sensitivity of *Neonectria ditissima* to carbendazim fungicide in New Zealand. *New Zealand Plant Protection*, 67, 133-138
- Wang Jinlong; Yu Jinhui; Liu Jing; Yuan Yongze; Li Na; He Muqing; Qi Ting; Hui Geng; Xiong Li; Liu Deli. (2014). Novel mutations in CYP51B from *Penicillium digitatum* involved in prochloraz resistance. *Journal of microbiology* (Seoul, Korea), Vol. 52, No. 9, pp. 762-70
- Wang WenQiao; Yan Lei; Meng RunJie; Zhao JianJiang; Zhang XiaoFeng; Han XiuYing; Ma ZhiQiang. (2014). Sensitivity to fluopicolide of wild type isolates and biological characteristics of fluopicolide-resistant mutants in *Pseudoperonospora cubensis*. *Crop Protection*, Volume 55, pp. 119-126
- Weber R W S, Palm G (2010). Resistance of storage rot fungi *Neofabraea perennans*, *N. alba*, *Glomerella acutata* and *Neonectria galligena* against thiophanate-methyl in Northern German apple production. *Journal of Plant Diseases and Protection*. **117**, 185-191
- Whan J H (1976). Tolerance of *Sclerotinia fructicola* to benomyl. *Plant Disease Reporter* **60**, 200 – 201
- White G A, Georgopoulos S G (1986). Thiophene carboxamide fungicides structure activity relationships with the succinate dehydrogenase complex from wild type and carboxin resistant mutants of *Aspergillus nidulans*. *Pesticide Biochemistry and Physiology* **25**, 188-204
- White J G, Stanghellini M E, Ayoubi L M (1988). Variation in the sensitivity to metalaxyl of *Pythium* spp isolated from carrot and other sources. *Annals of Applied Biology* **113**, 269 – 278
- Whiteside J O (1980a). Detection of benomyl tolerant strains of *Elsinoe fawcetti* in Florida citrus groves and nurseries. *Plant Disease* **64**, 871-872
- Whiteside J O (1980b). Tolerance of *Mycosphaerella citri* to benomyl in Florida USA citrus groves. *Plant Disease* **64**, 300 – 302
- Wicks T (1977). Tolerance to benzimidazole fungicides in blue mold (*Penicillium expansum*) on pears. *Plant Disease Reporter* **61**, 447-449
- Wilcox W F, Burr J A, Riegel D G, Wong F P (2003). Practical resistance to QoI fungicides in New York populations of *Uncinula necator* associated with quantitative shifts in pathogen sensitivities. *Phytopathology* **93**, S90
- Wild B L (1983). Double resistance by citrus green mold *Penicillium digitatum* to the fungicides guazatine and benomyl. *Annals of Applied Biology* **103**, 237 – 242

- Wise K A, Bradley C A, Pasche J S, Gudmestad N C (2009). Resistance to QoI fungicides in *Ascochyta rabiei* from chickpea in the Northern Great Plains. *Plant Disease* **93** 528-536
- Wong F P, De la Carda K A, Hernandez-Martinez R, Midland S L (2008). Detection and characterization of benzimidazole resistance in California populations of *Colletotrichum cereale*. *Plant Disease* **92**, 239-246
- Wong S P (2003). Past, current and future challenges for fungicide resistance management for turfgrass pathogens. *Phytopathology* **93** supplement6, S114
- Wright P J (2004). Resistance of *Peronospora destructor* (onion downy mildew) to metalaxyl fungicides. *New Zealand Plant Protection* **57**, 347. (Conference Proceedings)
- Wu Y, Lu S, Huang S, Fu G, Chen L, Xie D, L Q, Cen Z (2011). Field resistance of *Phytophthora melonis* to metalaxyl in South China. *Weishengwu Xuebo*, **51**, 1078-1086

### **XYZ**

- Xiao C L, Kim Y K, Boal, R J (2011). First report of occurrence of pyrimethanil resistance in *Penicillium expansum* from stored apples in Washington State. *Plant Disease* **95**, 72
- Yamada N, Motoyama T, Nakasako M, Kagabu S, Kudo T, Yamaguchi I (2004). Enzymatic characterisation of scytalone dehydratase Val75Met variant found in melanin biosynthesis dehydratase inhibitor (MBI-D) resistant strains of the rice blast fungus. *Bioscience Biotechnology and Biochemistry* **68**, 615-621
- Yamaguchi J, Inada M, Matsuzaki M (2000). Occurrence of DMI fungicide resistant isolates of *Mycovellosiella natrassii* Deighton, causal fungus of leaf mold of eggplant. *Japanese Journal of Phytopathology* **66**, 78 – 84
- Yamaguchi J., Kuchiki F., Hirayae K., So K. (2002), Decreased effect of carpropamid for rice blast control in the west north area of Saga prefecture in 2001. *Japanese Journal of Phytopathology* **68**: 261 (Abstr.).
- Yan, H. J.; Gaskins, V. L.; Vico, I.; Luo, Y. G.; Jurick, W. M., Yan, H. J.; Gaskins, V. L.; Vico, I.; Luo, Y. G.; Jurick, W. M., (2014). First report of *Penicillium expansum* isolates resistant to pyrimethanil from stored apple fruit in Pennsylvania. *Plant Disease*, Volume 98, Number 7, 1004 p
- Yang HongFu; Ji MuXiang; Yao KeBing; Shu ZhaoLin; Yang, H. F.; Ji, M. X.; Yao, K. B.; Shu, Z. L. (2013). Study on resistance of *Fusarium moniliforme* to Prochloraz and its management. *Acta Agriculturae Jiangxi*, Volume 25, Number 6, pp. 94-96
- Yano K, Kawada Y (2003). Occurrence of strobilurin-resistant strains of *Mycovellosiella natrassii*, causal fungus of leaf mold of eggplants. *Japanese Journal of Phytopathology* **69**, 220-223
- Yin Ting; Xu BingLiang; Liang QiaoLan; Gu LiJun; Li RongFeng; Yin, T.; Xu, B. L.; Liang, Q. L.; Gu, L. J.; Li, R. F. (2013). UV mutagenesis and screening for fungicide resistant strains of *Trichoderma aureoviride* T2. *Acta Prataculturae Sinica*, Volume 22, Number 2, pp. 117-122
- Yin Y, Liu X, Li B, Ma Z (2009). Characterization of sterol demethylation inhibitor resistant isolates of *Fusarium asiaticum* and *F. graminearum* collected from wheat in China. *Phytopathology* **99** 487-497

- Yin Y N, Kim Y K, Xiao C L (2011). Molecular characterisation of boscalid resistance in field isolates of *Botrytis cinerea* from apple. *Phytopathology* **101**, 986-995
- Yoshii Atsushi; Omatsu Tsutomu; Katayama Yukie; Koyama Satoshi; Mizutani Tetsuya; Moriyama Hiromitsu; Fukuhara Toshiyuki (2014). Two types of genetic carrier, the IncP genomic island and the novel IncP-1  $\square$  plasmid, for the aac(2)-IIa gene that confers kasugamycin resistance in *Acidovorax avenae* ssp. *avenae*. *Molecular plant pathology*, ( Aug 18)
- Young D H, Kemmitt G M, Owen J (2005). A comparative study of XR-539 and other oomycete fungicides: Similarity to dimethomorph and amino acid amides in its mechanism of action. *In: Modern Fungicides and Antifungal Compounds IV*. Eds. H-W Dehne, U Gisi, K-H Kuck, P E Russell, H Lyr. BCPC, Alton, UK pp. 145-152
- Young D H, Spiewak S L, Slawewski R A (2001). Laboratory studies to assess the risk of development of resistance to zoxamide. *Pest Management Science* **57**, 1081-1087
- Yu K-S (1981). Studies on the fungicide resistance of citrus blue mold fungus. *Plant Protection Bulletin (Taichung)* **23**, 193 – 200
- Yuan S K, Liu X L, Si N G, Dong J, Gu B G, Jiang H (2006). Sensitivity of *Phytophthora infestans* to flumorph: *in vitro* determination of baseline sensitivity and the risk of resistance. *Plant Pathology* **55**, 258-263
- Zhang C Q, Zhu G N, Ma Z H, Zhou M G (2006). Isolation, characterization and preliminary genetic analysis of laboratory tricyclazole resistant mutants of the rice blast fungus, *Magnaporthe grisea*. *Journal of Phytopathology (Berlin)* **154**, 392 – 397
- Zhao Zhi-hua, Mang Xi-ming, Fan Jie-ru, Liu Liang, Lfu Xi-li (2007). Effect of prochloraz on growth and development of prochloraz sensitive strain and its resistant mutants in *Fusarium fujikuroi*. *Nongyaoxue Xuebao* **9** 251-256
- Zheng D, Olaya G, Koller W (2000). Characterization of laboratory mutants of *Venturia inaequalis* resistant to the strobilurin related fungicide kresoxim-methyl. *Current Genetics* **38**, 148-155
- Zhou Feng; Zhang XiaoLei; Li JinLi; Zhu FuXing; Zhou, F.; Zhang, X. L.; Li, J. L.; Zhu, F. X. (2014). Dimethachlon resistance in *Sclerotinia sclerotiorum* in China. *Plant Disease*, Vol. 98, Number 9, pp. 1221-1226
- Zhu Zhi-feng, Pan Hong-yu, Zhang Hao, jiang Hui, Yuan Shan-kui, Qing-ping Yan (2006). Induction and characteristics of mutants of *Phytophthora drechsletii* resistant to etridiazole. *Nongyaoxue xuebao* **8** (4) 323-326 (Chinese)
- Ziogas B N, Markoglou A N, Tzima A (2002). A non-mendelian inheritance of resistance to strobilurin fungicides in *Ustilago maydis*. *Pest Management Science* **58**, 908-916
- Ziogas B N, Markoglou A N, Malandrakis A A (2003). Studies on the inherent resistance risk to fenhexamid in *Botrytis cinerea*. *European Journal of Plant Pathology* **109**, 311-317